

2017



**FEIN 2017 Trade Price list**  
Oscillating Multi-Tools, OMT accessories,  
Dust Extraction, Cordless 12v & 18v

**FEIN. Unverwüstliche  
Elektrowerkzeuge.**



 **MADE IN GERMANY**



FEIN launched the first oscillating power tool more than 45 years ago. Over the decades, we have continuously developed the product into a powerful and universal system for interior work and renovation. Its legendary quality and uniquely wide range of solutions have made the FEIN MultiMaster an indispensable tool for manual trades and industry.



**NEW!**

Up to **70%** less vibration  
 Up to **50%** less operating noise\*\*  
 Up to **35%** faster work progress

The anti-vibration system in the FEIN oscillators decouples the housing and motor to firstly reduce vibrations and noise, making work much more pleasant. Secondly, this invention patented by FEIN enables the full motor power to be available to the tool. This maximises work progress while also minimising strain on the user.



		MULTITALENT		MULTIMASTER		SUPERCUT
Model		FMT250 QSL / FMT250SL	AFMT12QSL / AFMT12SL	FMM350QSL	AFMM18 QSL	AFSC18QSL
Tool mounting		Starlock Plus*	Starlock Plus*	Starlock Plus*	Starlock Plus*	Starlock Max*
Tool change		QuickIN / Screw	QuickIN / Screw	QuickIN	QuickIN	QuickIN
Decoupling to reduce vibration		-	•	•	•	•
Electronic speed setting		•	•	•	•	•
Tacho generator		-	•	-	•	•
Soft grip zone		•	•	•	•	•
Power consumption	W	250	-	350	-	-
Amplitude	deg	2 x 1.6	2 x 1.6	2 x 1.7	2 x 1.7	2 x 2.0
Oscillations	opm	11,000 – 20,000	11,000 – 18,000	10,000 – 19,500	11,000 – 18,500	10,000 - 19,500
Weight [according to EPTA]	kg	1.4	1.5	1.4	1.8	1.8
Cable length	m	5	-	5	-	-
Battery voltage	V	-	12	-	18	18
Battery capacity	Ah	-	2.5	-	2.5	5 / 2.5

# MULTITALENT



**STARLOCK PLUS**

The best way to get started in professional class oscillators.



The economical alternative for anyone who needs good quality and high output, but is not so concerned with maximum operating comfort.

**250 W / 12 V**

**STARLOCK PLUS**

Suited to Starlock & Starlock Plus accessories.

**ANTI-VIBRATION\***

\* for cordless MultiTalent AFMT 12 SL / AFMT 12 QSL

**QUICK RELEASE  
OR SCREW FITTING  
ACCESSORY CHANGES**

1.6

# MULTIMASTER



**STARLOCK PLUS**

The benchmark amongst oscillators.



Trusted by professionals the world over and the first choice for universal use in interior work and renovation, delivering exemplary quality.

**350 W / 18 V**

**STARLOCK PLUS**

Suited to Starlock & Starlock Plus accessories.

**ANTI-VIBRATION**

**QUICK RELEASE**

1.7

# SUPERCUT



**STARLOCK MAX**

The most powerful system for special applications.



Indispensable in industries requiring accessories for solutions and maximum performance and service life. The FEIN SUPERCUT can be combined with all FEIN's accessories.

**450 W / 18 V**

**STARLOCK MAX**

Suited to Starlock, Starlock Plus and Starlock Max accessories.

**ANTI-VIBRATION**

**BRUSHLESS - EC  
USE ENTIRE RANGE OF  
FEIN ACCESSORIES**

2.0

**A1 MULTITALENT START  
FMT 250 SL\***

**Includes:** 1 FEIN FMT 250 SL, 1 sanding pad and sanding sheets (3 of each grit 80, 120 and 180), 1 universal E-Cut saw blade (44 mm), 1 plastic tool case



\*screw fitting with allen key

**A2 MULTITALENT QUICKSTART - FMT 250 QSL**

**Includes:** 1 FEIN FMT 250 QSL, 1 sanding pad and sanding sheets (3 of each grit 80, 120 and 180), 1 universal E-Cut saw blade (44 mm), 1 plastic tool case



**A5 12V MULTITALENT START  
AFMT 12 SL\***

**Includes:** 1 FEIN AFMT 12 SL, 1 sanding pad and sanding sheets (3 of each grit 80, 120 and 180), 1 universal E-Cut saw blade (29 mm), 2 Li-ion batteries (2.5 Ah), 1 rapid charger ALG 50, 1 plastic tool case



\*screw fitting with allen key

**A6 12V MULTITALENT QUICKSTART - AFMT 12 QSL**

**Includes:** 1 FEIN AFMT 12 QSL, 1 sanding pad and sanding sheets (3 of each grit 80, 120 and 180), 1 universal E-Cut saw blade (29 mm), 2 Li-ion batteries (2.5 Ah), 1 rapid charger ALG 50, 1 plastic tool case



**A4 MULTIMASTER TOP - FMM 350 QSL**

**Includes:** 1 FEIN FMM 350 QSL, 1 sanding pad, sanding sheets (3 each of grit 60, 80, 120, 180), 1 sanding pad, perforated, sanding sheets (3 each of grit 60, 80, 120, 180), 1 backing pad diameter 115 mm and perforated, perforated sanding sheets (2 each of grit 60, 80, 180), 1 extraction device, 1 rigid stopper knife, 1 HSS segment saw blade, E-Cut long-life saw blades (1 each of 35 mm, 65 mm), 1 universal E-Cut saw blade (44 mm), 1 carbide segment saw blade, 1 carbide rasp, 1 plastic tool case



**A3 MULTIMASTER QUICKSTART  
FMM 350 QSL**

**Includes:** 1 FEIN FMM 350 QSL, 1 sanding pad, sanding sheets (3 of each grit 60, 80, 120, 180), 1 rigid stopper knife, 1 HSS segment saw blade, 1 E-Cut long-life saw blade (65 mm), 1 universal E-Cut saw blade (44 mm), 1 plastic tool case



**A7 18V MULTIMASTER - AFMM 18 QSL**

**Includes:** 1 FEIN AFMM 18 QSL, 1 sanding pad, sanding sheets (3 of each grit 60, 80, 120, 180), 1 rigid stopper knife, 1 HSS segment saw blade, 1 E-Cut long-life saw blade (65 mm), 1 universal E-Cut saw blade (44 mm), 2 Li-ion batteries (2.5 Ah), 1 rapid charger ALG 50, 1 plastic tool case



**A9 18V SUPERCUT  
AFSC 18 QCSL**

**Includes:** 1 FEIN AFSC 18 QSL, 2 battery packs (Li-ion, 18 V, 2.5 Ah), 1 charger



**A10 18V SUPERCUT  
AFSC 18 QSL**

**Includes:** 1 FEIN AFSC 18 QSL, 2 battery packs (Li-ion, 18 V, 5 Ah), 1 charger

**STARLOCK  
Quick IN**

A majority of FEIN STARLOCK machines come with the fastest Oscillating Multi-tool accessory change ever. Simply release and press on the new accessory in less than 3 seconds

**A11 18V SUPERCUT - C/W PROFESSIONAL SET (WOOD)  
AFSC 18 QSL**



**A12 18V SUPERCUT  
WINDOW  
RENOVATION  
AFSC 18 QSL**



**A13 18V SUPERCUT  
TILE RESTORATION  
AFSC 18 QSL**



**A14 18V SUPERCUT  
HEATING &  
SANITARY  
AFSC 18 QSL**

**Corded Oscillators**

No.	Mount	QuickIN	Voltage	Part No.	List Price
A1	SLP	-	110v 230v	7 229 54 61 24 1 7 229 54 61 24 0	<b>£ 170.00</b>
A2	SLP	✓	110v 230v	7 229 53 61 24 1 7 229 53 61 24 0	<b>£ 224.00</b>
A3	SLP	✓	110v 230v	7 229 52 62 24 1 7 229 52 62 24 0	<b>£ 277.00</b>
A4	SLP	✓	110v 230v	7 229 52 61 24 1 7 229 52 61 24 0	<b>£ 331.00</b>


**Cordless Oscillators**

No.	Description	Mount	QuickIN	Batteries	Part No.	List Price
A5	AFMT 12 SL	SLP	-	12V, 2.5Ah (x2)	7 129 26 61 24 0	<b>£ 249.00</b>
A6	AFMT 12 QSL	SLP	✓	12V, 2.5Ah (x2)	7 129 25 61 24 0	<b>£ 271.00</b>
A7	AFMM 18 QSL	SLP	✓	18V, 2.5Ah (x2)	7 129 22 61 24 0	<b>£ 384.00</b>
A9	AFSC 18 QCSL - Compact	SLM	✓	18V, 2.5Ah (x2)	7 129 27 62 24 0	<b>£ 480.00</b>
A10	AFSC 18 QSL - Brushless	SLM	✓	18V, 5Ah (x2)	7 129 27 61 24 0	<b>£ 528.00</b>
A11	AFSC 18 QSL - Brushless c/w Carpentry Set	SLM	✓	18V, 5Ah (x2)	7 129 27 64 24 0	<b>£ 684.00</b>
A12	AFSC 18 QSL - Brushless c/w Window Repair & Replacing Set				7 129 27 66 00 0	
A13	AFSC 18 QSL - Brushless c/w Tile Restoration Set				7 129 27 67 00 0	
A14	AFSC 18 QSL - Brushless c/w Heating & Sanitary Set				7 129 27 68 00 0	



Building your own set? Already own FEIN batteries? FEIN body only machines are available on page 29

MultiMaster Marine set available please visit [www.multimaster.info](http://www.multimaster.info) for details and videos, alternatively see page 21



# The new standard tool mounting for oscillating tools.



## New 3D shape

- ▶ Up to 45% more work progress.
- ▶ Outstanding smooth running & precision.
- ▶ Significantly reduced noise.
- ▶ Faster, safer tool changes in under 3 seconds.
- ▶ Unique material and production quality for maximum durability.



# MADE BY FEIN

We consider this not only a label, but a quality feature. The materials used for items developed and produced by FEIN have been meticulously selected, perfectly crafted and deliver maximum durability and precision. Made by FEIN is a promise to our customers. FEIN power tools are more than long-lasting, they are durable too.



**STARLOCK**




**STARLOCK PLUS**



**STARLOCK MAX**

Fits: FEIN	MULTITALENT + MULTIMASTER + SUPERCUT	SUPERCUT
Fits: Other multi-tools	Bosch, Makita, Hitachi, Metabo, Milwaukee, AEG, Einhell, Ryobi, Skil etc.	Bosch (with suitable tool Mount)
		Bosch (with suitable tool Mount)



UNDERSTANDING STARLOCK

**STARLOCK**

Universal accessory tool mounting for all FEIN oscillating tools and the most popular multifunction tools on the market.

Starlock suitable for:



**STARLOCK PLUS**

Accessory tool mounting for all FEIN oscillators and other multifunction tools with StarlockPlus tool mounting.

Starlock suitable for:



**STARLOCK MAX**

Accessory tool mounting for FEIN SUPERCUT and other oscillators with StarlockMax tool mounting.


StarlockMax suitable for:



Non Starlock SuperCut (pre 05.16) will require an adapter from FEIN to accept all accessories including StarlockMax see p21



# FEIN LONG LIFE WOOD BLADES



Designed primarily for use in wood, the geometry of these unique blades is similar to that of the FEIN standard wood blade. As a result the cuts are made quickly and precisely through the work piece. The major difference is the bi-metal teeth, which have a service life three times that of the standard E-Cut saw blades. They also provide a high cutting speed and are not affected by accidental contact with masonry or nails (up to 4 mm thick) in the work material.

The unique properties of these E-Cut long-life saw blades makes them ideal for sawing in wood, plasterboard, plastic and fibreglass-reinforced plastic.

They are produced by FEIN at the Schwäbisch Gmünd-Bargau site alongside the machines and other E-Cut blades, ensuring quality.

No.	Mount	Length (mm)	Width (mm)	Form	Qty	Part No.	List Price excl. VAT
1	SL	30	10	184	1	6 35 02 184 21 0	£ 7.01
					5	6 35 02 184 23 0	£ 31.54
					10	6 35 02 184 24 0	£ 59.53
2	SL	34	20	183	1	6 35 02 183 21 0	£ 9.15
					5	6 35 02 183 23 0	£ 41.17
					10	6 35 02 183 24 0	£ 77.72
3	SL	50	35	160	1	6 35 02 160 21 0	£ 12.06
					5	6 35 02 160 23 0	£ 54.27
					10	6 35 02 160 24 0	£ 102.53
4	SL	50	50	221	1	6 35 02 221 21 0	£ 12.72
					5	6 35 02 221 23 0	£ 57.26
					10	6 35 02 221 24 0	£ 108.14
5	SLP	50	65	161	1	6 35 02 161 21 0	£ 13.03
					5	6 35 02 161 23 0	£ 58.65
					10	6 35 02 161 24 0	£ 110.80
6	SLM	78	32	201	1	6 35 02 201 21 0	£ 13.63
					5	6 35 02 201 23 0	£ 61.34
			42	203	1	6 35 02 203 21 0	£ 14.16
					5	6 35 02 203 23 0	£ 63.71
			10	203	5	6 35 02 203 24 0	£ 120.33



**1**  
WOOD  
**STARLOCK**  
**E-Cut long-life saw blade**  
Bi-metal with set wood teeth for all wood, plasterboard and plastic materials. Outstanding tool life, high cutting quality and speed. Extremely robust, not affected by nails (up to diameter of approx. 4 mm) in wood, masonry etc. Short, very narrow shape for the smallest of recesses.




**2**  
WOOD  
**STARLOCK**  
**E-Cut long-life saw blade**  
Bi-metal with set wood teeth for all wood, plasterboard and plastic materials. Outstanding tool life, high cutting quality and speed. Extremely robust, not affected by nails (up to diameter of approx. 4 mm) in wood, masonry etc. Short, very narrow shape for the smallest of recesses.



**3**  
WOOD  
**STARLOCK**  
**E-Cut long-life saw blade**  
Bi-metal with set wood teeth for all wood, plasterboard and plastic materials. Outstanding tool life, high cutting quality and speed. Extremely robust, not affected by nails (up to diameter of approx. 4 mm) in wood, masonry etc. Medium width, with waister for optimum cutting speed and good swarf removal.



**4**  
WOOD  
**STARLOCK**  
**E-Cut long-life saw blade**  
Bi-metal with set wood teeth for all wood, plasterboard and plastic materials. Outstanding tool life, high cutting quality and speed. Extremely robust, not affected by nails (up to diameter of approx. 4 mm) in wood, masonry etc. Medium width, with waister for optimum cutting speed and good swarf removal.



**5**  
WOOD  
**STARLOCK PLUS**  
**E-Cut long-life saw blade**  
Bi-metal with set wood teeth for all wood, plasterboard and plastic materials. Outstanding tool life, high cutting quality and speed. Extremely robust, not affected by nails (up to diameter of approx. 4 mm) in wood, masonry etc. Wide shape for maximum cutting performance and long, straight cuts.



**6**  
WOOD  
**STARLOCK MAX**  
**E-Cut long-life saw blade**  
Bi-metal with set wood teeth for all wood, plasterboard and plastic materials. Outstanding tool life, high cutting quality and speed. Extremely robust, not affected by nails (up to diameter of approx. 4 mm) in wood, masonry etc. Long, wide shape for large plunge depths and effective working. With waister for optimum cutting speed and good swarf removal.

## FEIN STANDARD WOOD BLADES



Designed to give clean cuts in wood, the FEIN Standard wood blade is made from a robust High Carbon Steel which performs well over time with high cutting speeds and high precision.

Ideally suited for use in clean wood, plasterboard and plastics.

\*NB This blade can become blunt if it comes in contact with metal or masonry



## FEIN HCS PRECISION WOOD BLADES



FEIN's quickest and most precise saw blade. It utilises Japanese style toothing pattern to remove excess saw dust quickly, with extremely precise results. This blade is designed almost exclusively for soft materials

Ideally suited for use in clean wood and soft plastics

\*NB This blade can become blunt if it comes in contact with metal or masonry



## FEIN BIM PRECISION WOOD BLADES



With the similar geometry as the HCS precision blade, the BIM precision blade has the added advantage Bi-Metal teeth which gives it up-to 3 times longer tool life.

Ideally suited for use in clean wood and soft plastics

\*NB This blade is more tolerant to hardened materials but is not designed to cut nails or screws for example.

### New saw tooth geometry

- ▶ Shortened, specially ground corner teeth for greater durability.
- ▶ Tried and tested Japanese teeth.



7



WOOD

STARLOCK

### E-Cut standard saw blade

Set teeth for all wood, plasterboard and plastic materials, high cutting quality and speed. Medium width, with waists for optimum cutting speed and good swarf removal.

8



WOOD

STARLOCK PLUS

### E-Cut standard saw blade

Set teeth for all wood, plasterboard and plastic materials, high cutting quality and speed. Wide shape for maximum cutting performance and long, straight cuts.

11



WOOD

STARLOCK

### E-Cut precision saw blade

Double-row Japan teeth for all wooden materials, plasterboard and soft plastics. The fastest cutting speed and maximum precision. Narrow, with waists for optimum cutting speed and good swarf removal.

12



WOOD

STARLOCK PLUS

### E-Cut precision saw blade

Double-row Japan teeth for all wooden materials, plasterboard and soft plastics. The fastest cutting speed and maximum precision. Medium width for various uses.

15



WOOD

STARLOCK

### E-Cut precision BIM saw blade

Bi-metal with double-row Japan teeth for all wooden materials, plasterboard and soft plastics. Improved tool life and robustness. The fastest cutting speed and maximum precision. Narrow, with waists for optimum cutting speed and good swarf removal.

16



WOOD

STARLOCK PLUS

### E-Cut precision BIM saw blade

Bi-metal with double-row Japan teeth for all wooden materials, plasterboard and soft plastics. Improved tool life and robustness. The fastest cutting speed and maximum precision. Medium width for various uses.



9



WOOD

STARLOCK MAX

**E-Cut standard saw blade**

Set teeth for all wood, plasterboard and plastic materials, high cutting quality and speed. Long, narrow shape for large plunge depths. With waist for optimum cutting speed and good swarf removal.

10




WOOD

STARLOCK MAX

**E-Cut standard saw blade**

Set teeth for all wood, plasterboard and plastic materials, high cutting quality and speed. Long, wide shape for large plunge depths and effective working. With waist for optimum cutting speed and good swarf removal.

13



WOOD

STARLOCK PLUS

**E-Cut precision saw blade**

Double-row Japan teeth for all wooden materials, plasterboard and soft plastics. The fastest cutting speed and maximum precision. Extra wide shape for maximum cutting performance and long, straight cuts.

14



WOOD

STARLOCK PLUS

**E-Cut precision saw blade**

Double-row Japan teeth for all wooden materials, plasterboard and soft plastics. The fastest cutting speed and maximum precision. Wide shape for effective sawing.

17



WOOD

STARLOCK PLUS

**E-Cut precision BIM saw blade**

Bi-metal with double-row Japan teeth for all wooden materials, plasterboard and soft plastics. Improved tool life and robustness. The fastest cutting speed and maximum precision. Wide shape for effective sawing.

18



WOOD


STARLOCK PLUS

**E-Cut precision BIM saw blade**

Bi-metal with double-row Japan teeth for all wooden materials, plasterboard and soft plastics. Improved tool life and robustness. The fastest cutting speed and maximum precision. Extra wide shape for maximum cutting performance and long, straight cuts.

No.	Description	Mount	Length (mm)	Width (mm)	Form	Qty	Part No.	List Price excl. VAT
7	E-Cut standard saw blade	SL	50	35	133	1	6 35 02 133 21 0	£ 9.34
						5	6 35 02 133 23 0	£ 42.04
						10	6 35 02 133 24 0	£ 79.37
8	E-Cut standard saw blade	SLP	50	65	134	1	6 35 02 134 21 0	£ 11.09
						5	6 35 02 134 23 0	£ 49.88
						10	6 35 02 134 24 0	£ 94.26
9	E-Cut standard saw blade	SLM	78	32	200	1	6 35 02 200 21 0	£ 11.98
						5	6 35 02 200 23 0	£ 53.93
10	E-Cut standard saw blade	SLM	78	42	202	10	6 35 02 200 24 0	£ 101.86
						1	6 35 02 202 21 0	£ 12.47
11	E-Cut precision saw blade HCS	SL	50	35	126	5	6 35 02 202 23 0	£ 56.12
						10	6 35 02 202 24 0	£ 105.96
						1	6 35 02 126 21 0	£ 12.25
12	E-Cut precision saw blade HCS	SLP	50	45	198	5	6 35 02 126 24 0	£ 56.21
						10	6 35 02 126 24 0	£ 104.18
						1	6 35 02 198 21 0	£ 12.70
13	E-Cut precision saw blade HCS	SLP	50	65	127	5	6 35 02 198 23 0	£ 57.16
						10	6 35 02 198 24 0	£ 107.96
						1	6 35 02 127 21 0	£ 13.62
14	E-Cut precision saw blade HCS	SLP	50	55	199	5	6 35 02 127 23 0	£ 61.30
						10	6 35 02 127 24 0	£ 115.75
						1	6 35 02 199 21 0	£ 13.15
15	E-Cut precision saw blade BIM	SL	50	35	205	5	6 35 02 199 23 0	£ 59.18
						10	6 35 02 199 24 0	£ 111.78
						1	6 35 02 205 21 0	£ 13.48
16	E-Cut precision saw blade BIM	SLP	50	45	206	5	6 35 02 205 23 0	£ 61.82
						10	6 35 02 205 24 0	£ 114.60
						1	6 35 02 206 21 0	£ 13.97
17	E-Cut precision saw blade BIM	SLP	50	55	207	5	6 35 02 206 23 0	£ 62.87
						10	6 35 02 206 24 0	£ 118.76
						1	6 35 02 207 21 0	£ 14.47
18	E-Cut precision saw blade BIM	SLP	50	65	208	5	6 35 02 207 23 0	£ 65.10
						10	6 35 02 207 24 0	£ 122.96
						1	6 35 02 208 21 0	£ 14.98
						5	6 35 02 208 23 0	£ 67.43
						10	6 35 02 208 24 0	£ 127.33

# FEIN BIM E-CUT UNIVERSAL BLADES FOR WOOD AND METAL




Probably FEIN's most popular blade, the 152 and 151 blades have a 'waved' geometry similar to that found on hacksaw blade. Because of this, the blade is ideally suited to cutting both wood and mild steel making it the most durable blade in the range.

Ideally suited for use in under cutting door frames, sawing through work-pieces where harder material can be hidden, such as nails or tacks

<sup>\*NB</sup> This blade can become blunt if it comes in contact with screws or masonry.

## Accessory Sets

A RANGE OF COST EFFECTIVE ACCESSORY SETS CONTAINING FEIN E-CUT BLADES CAN BE FOUND ON PAGES 22-23. THESE INCLUDE BEST OF E-CUT, BEST OF RENOVATION AND E-CUT COMBO SETS



No.		Mount	Length (mm)	Width (mm)	Form	Qty	Part No.	List Price
19	E-Cut universal saw blade	SLP	60	28	151	1	6 35 02 151 21 0	£ 13.62
						5	6 35 02 151 23 0	£ 61.30
						10	6 35 02 151 24 0	£ 115.75
20	E-Cut universal saw blade	SLP	60	44	152	1	6 35 02 152 21 0	£ 14.20
						5	6 35 02 152 23 0	£ 63.90
						10	6 35 02 152 24 0	£ 120.72
21	E-Cut fine saw blade	SL	50	30	157	1	6 35 02 157 21 0	£ 9.15
						5	6 35 02 157 23 0	£ 41.17
						10	6 35 02 157 24 0	£ 77.72
22	E-Cut Starlock universal saw blade	SL	55	28	222	1	6 35 02 222 21 0	£ 13.38
						5	6 35 02 222 23 0	£ 60.19
						10	6 35 02 222 24 0	£ 113.69
23	E-Cut Starlock universal saw blade	SL	55	44	223	1	6 35 02 223 21 0	£ 13.90
						5	6 35 02 223 23 0	£ 62.55
						10	6 35 02 223 24 0	£ 118.15

19



WOOD | METAL

### E-Cut universal saw blade

Bi-metal with corrugated universal teeth. Wide range of applications for sheet metal up to 2 mm, aluminium profiles, copper pipes, wood, plasterboard and plastics. Narrow, with waister for optimum cutting speed and good swarf removal.

STARLOCK PLUS

20



WOOD | METAL

### E-Cut universal saw blade

Bi-metal with corrugated universal teeth. Wide range of applications for sheet metal up to 2 mm, aluminium profiles, copper pipes, wood, plasterboard and plastics. Wide, with waister for optimum cutting speed and good swarf removal.

STARLOCK PLUS

21



METAL

### E-Cut fine saw blade

Bi-metal with fine teeth for sheet metal up to 2 mm, aluminium profiles, copper pipes. Also for fibreglass-reinforced plastic and other hard plastics. Extremely precise cuts which are very easy to control with particularly thin cutting line. Medium width, with waister for optimum cutting speed and good swarf removal.

STARLOCK

22



WOOD | METAL

### E-Cut Starlock Universal

Bi-metal with corrugated universal teeth. Wide range of applications for sheet metal up to 2 mm, aluminium profiles, copper pipes, wood, plasterboard and plastics. Wide, with waister for optimum cutting speed and good swarf removal.

STARLOCK

23




WOOD | METAL

### E-Cut Starlock Universal

Bi-metal with corrugated universal teeth. Wide range of applications for sheet metal up to 2 mm, aluminium profiles, copper pipes, wood, plasterboard and plastics. Wide, with waister for optimum cutting speed and good swarf removal.

STARLOCK



STARLOCK

- ▶ FEIN Starlock accessories fit most major brands of OMT & improves their performance over using standard supplied blades.
- ▶ Built for outstanding performance

# FEIN HSS SAW BLADES

FEIN HSS saw blades are designed to cut through a number of materials and give a long service life. They are available in either fully round or segmented versions - ideal for reaching flush against the work piece. Probably the most versatile blade in the FEIN range, these accessories are suitable for use in number different materials such as wood, metal and plastics. With the introduction of the Starlock fitting, the QuickIN pin is now recessed inside the blade allowing these blades to be used flat.



**HSS saw blade**  
Solid HSS saw blade with metal teeth for sheet metal up to approx. 1 mm. Also for plastics, fibreglass-reinforced plastic, wood, putty and copper/copper alloys. Outstanding cutting speed. Clean, thin cutting line. Segmented, ideal for working in corners and on edges without overcutting.



**HSS saw blade**  
Bi-metal for long tool life. Metal teeth for sheet metal up to approx. 1 mm. Also for plastics, fibreglass-reinforced plastic, wood, putty and copper/copper alloys. Work flush with the surface. Circular shape and extra large diameter deliver optimum cost-effectiveness.



**HSS saw blade**  
Solid HSS saw blade with metal teeth for sheet metal up to approx. 1 mm. Also for plastics, fibreglass-reinforced plastic, wood, putty and copper/copper alloys. Outstanding cutting speed. Clean, thin cutting line. Circular shape delivers good cost-effectiveness.




**HSS saw blade**  
Bi-metal for long tool life. Metal teeth for sheet metal up to approx. 1 mm. Also for plastics, fibreglass-reinforced plastic, wood, putty and copper/copper alloys. Work flush with the surface. Circular shape delivers good cost-effectiveness.



**HSS saw blade**  
Bi-metal for long tool life. Metal teeth for sheet metal up to approx. 1 mm. Also for plastics, fibreglass-reinforced plastic, wood, putty and copper/copper alloys. Work flush with the surface. Segmented, ideal for working in corners and on edges without overcutting.



**HSS saw blade**  
Bi-metal for long tool life. Set wood teeth. Outstanding tool life, high cutting quality and speed. As mini circular saw", ideal for long, straight cuts and for making cut-outs in laid parquet, laminate and wall panelling."



**HSS saw blade set**  
Bi-metal for long tool life. Set wood teeth. Outstanding tool life, high cutting quality and speed. Ideal for long, straight cuts and for making cut-outs in laid parquet, laminate and wall panelling. The depth stop can also be used with many other FEIN accessories. For accurate working at depth. StarlockPlus fitting, suitable for all popular multi-function tools with StarlockPlus and StarlockMax fitting and for all FEIN MultiTalent and MultiMaster tools up until 04/16. Scope of supply: 1 HSS saw blade, 1 depth stop (suitable for FMM 350 QSL, AFMM 18 QSL, AFSC 18 QSL, FSC 500 QSL)"

## Accessories

A RANGE OF ADDITIONAL ACCESSORIES CAN BE FOUND ON PAGES 22-23 TO ENHANCE YOUR FEIN EXPERIENCE. THESE INCLUDE ADAPTER, DEPTH-STOPS AND EXTRACTOR SETS.

No.	Mount	Ø Dia. (mm)	Form	Qty	Part No.	List Price excl. VAT
24	HSS saw blade	SL	85	097	1 6 35 02 097 21 0	£ 18.86
					5 6 35 02 097 23 0	£ 84.92
25	HSS saw blade	SL	85	106	1 6 35 02 106 21 0	£ 21.65
					5 6 35 02 106 23 0	£ 97.39
26	HSS saw blade	SL	85	174	1 6 35 02 174 21 0	£ 38.56
					5 6 35 02 174 23 0	£ 173.54
27	HSS saw blade	SLP	100	175	1 6 35 02 175 21 0	£ 40.15
					5 6 35 02 175 23 0	£ 180.67
28	HSS saw blade	SLP	100	196	1 6 35 02 196 21 0	£ 40.15
					5 6 35 02 196 23 0	£ 180.67
29	HSS saw blade	SLP	100	176	1 6 35 02 176 21 0	£ 47.83
30	HSS saw blade set	SLP	100	-	1 3 52 22 952 01 0	£ 60.99

# GROUT REMOVAL BLADES



No. 36 - Carbide Rasp removing tile grout

FEIN grout removal blades are ideal for removing damaged tiles. They are also great for cutting slots in plaster, porous concrete and similar building materials and even for cleaning and reworking deck joints on boats. They are available with either carbide coated or a diamond coated versions, with the latter providing approximately 4 times the life with the same results.

Not suited to very hard epoxy resin or cement joints.



**Carbide saw blade - 75mm**  
For cutting out damaged tile joints. Also for cutting slots in plaster, porous concrete and similar building materials and for cleaning and reworking deck joints. Not suited to very hard epoxy resin or cement joints. The cost-effective alternative to diamond tools. Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.



**Diamond-coated saw blade - 75mm**  
For cutting out marble, epoxy resin and trass joints. Excellent service life. Also suited to very hard epoxy resin or cement joints. The right choice for frequent use and challenging jobs. Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.



**Carbide saw blade - 90mm**  
For cutting out damaged tile joints. Also for cutting slots in plaster, porous concrete and similar building materials and for cleaning and reworking deck joints. Not suited to very hard epoxy resin or cement joints. The cost-effective alternative to diamond tools. Segmented, ideal for working in corners and on edges without overcutting. Cutting width approx. 2.2 mm.




**Diamond-coated saw blade - 90mm**  
For cutting out marble, epoxy resin and trass joints. Excellent service life. Also suited to very hard epoxy resin or cement joints. The right choice for frequent use and challenging jobs. Segmented, ideal for working in corners and on edges without overcutting. Cutting width approx. 2.2 mm.



**Carbide saw blade**  
For cutting out marble, epoxy resin and trass joints. Not suited to very hard epoxy resin or cement joints. The cost-effective alternative to diamond tools. Cutting width approx. 2.2 mm.



**Diamond-coated saw blade**  
For cutting out marble, epoxy resin and trass joints. Excellent service life. Also suited to very hard epoxy resin or cement joints. The right choice for frequent use and challenging jobs. Cutting width approx. 2.2 mm.



**Carbide saw blade**  
For cutting out very narrow marble, epoxy resin and trass joints. Not suited to very hard epoxy resin or cement joints. The cost-effective alternative to diamond tools. Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.



**Diamond-coated saw blade**  
For cutting out marble, epoxy resin and trass joints. Excellent service life. Also suited to very hard epoxy resin or cement joints. The right choice for frequent use and challenging jobs. Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.

## Specialist accessories

A RANGE OF ADDITIONAL SPECIALIST ACCESSORIES CAN BE FOUND ON PAGE 19-20 DESIGNED SPECIFICALLY FOR ANY TASK IN MIND




No.		Mount	Ø Dia. (mm)	Cut width	Qty	Part No.	List Price excl. VAT
36	Carbide saw blade	SL	75	1.2	1	6 35 02 125 21 0	£ 23.75
					5	6 35 02 125 23 0	£ 106.91
				2.2	1	6 35 02 118 21 0	£ 23.75
					5	6 35 02 118 23 0	£ 106.91
37	Diamond-coated saw blade	SL	75	1.2	1	6 35 02 216 21 0	£ 50.30
					5	6 35 02 216 23 0	£ 226.35
				2.2	1	6 35 02 114 21 0	£ 50.30
					5	6 35 02 114 23 0	£ 226.35
38	Carbide saw blade	SLP	90	1.2	1	6 35 02 170 21 0	£ 29.05
					5	6 35 02 170 23 0	£ 130.72
				2.2	1	6 35 02 169 21 0	£ 28.22
					5	6 35 02 169 23 0	£ 126.97
39	Diamond-coated saw blade	SLP	90	1.2	1	6 35 02 217 21 0	£ 59.47
					5	6 35 02 217 23 0	£ 267.62
				2.2	1	6 35 02 166 21 0	£ 59.47
					5	6 35 02 166 23 0	£ 267.62
40	Carbide saw blade	SLM	105	1.2	1	6 35 02 214 21 0	£ 35.28
					5	6 35 02 214 23 0	£ 158.76
				2.2	1	6 35 02 213 21 0	£ 35.28
					5	6 35 02 213 23 0	£ 158.25
41	Diamond-coated saw blade	SLM	105	1.2	1	6 35 02 219 21 0	£ 90.62
					5	6 35 02 219 23 0	£ 407.78
				2.2	1	6 35 02 218 21 0	£ 90.62
					5	6 35 02 218 23 0	£ 407.78
42	Carbide saw blade	SLM	-	1.2	1	6 39 03 240 21 0	£ 35.28
					5	6 39 03 240 23 0	£ 158.76
				2.2	1	6 39 03 241 21 0	£ 35.28
					5	6 39 03 241 23 0	£ 158.76
43	Diamond-coated saw blade	SLM	-	1.2	1	6 39 03 242 21 0	£ 65.52
					5	6 39 03 242 23 0	£ 294.84
				2.2	1	6 39 03 243 21 0	£ 65.52
					5	6 39 03 243 23 0	£ 294.84
44	Carbide rasp	SL	80		1	6 37 31 001 21 0	£ 23.10
45	Carbide file	SLP	10		1	6 37 06 019 21 0	£ 18.35
46	Carbide rasp	SLM	110		1	6 37 31 006 21 0	£ 27.95
47	Carbide rasp	SLP	10		1	6 37 31 002 21 0	£ 31.73

## RASPS & DEBURRING

For aggressive sanding or rasping FEIN produces unique range of rasps in various sizes to suit the application. For example the carbide rasp removes old paint and stubborn signs of weathering with great speed and effectiveness. In addition rasp smooths tile adhesive and ensures a level base when relaying tiles (see right).

The delta design (triangle) and the powerful motor of oscillating multi-tools means that the rasp can work into corners.

The carbide file, adds precision and allows retrospective de-burring or for cutting out small recesses



No. 44 - Carbide Rasp removing adhesive

44



GROUT

STARLOCK PLUS

### Carbide rasp

For rough sanding of fillers, tile adhesive, concrete, stone and wood. Triangular shape, edge length of 80 mm, perforated, can also be used with dust extraction.

46



SPECIAL MATERIAL

STARLOCK MAX

### Carbide rasp - Large

For rough sanding of fillers, tile adhesive, concrete, stone and wood. For particularly good cutting speed and efficient machining of several square metres. Triangular shape, large version, edge length of 110 mm, perforated, can also be used with dust extraction.

45



STARLOCK PLUS

### Carbide file

For de-burring and filing on CFRP, fibreglass-reinforced plastic, plastics and wood. Especially suitable for cutting out small recesses.

47



STARLOCK PLUS

### Carbide rasp

For rough sanding of fillers, tile adhesive, concrete, stone and wood. For use in very narrow and deep places, in channels, grooves, openings and folds. Also in mould-making, on concave forms and in convex forms and for artistic work. Finger shape, coating on both sides.

# SANDING

Only FEIN provides a complete range of accessories for all sanding applications. For sanding very narrow edges, profiles and surfaces with a huge choice of abrasive materials for virtually all materials and surfaces. With or without dust extractor for perfect dust extraction. Numerous accessories are only exclusively available from FEIN and only for the FEIN MultiMaster. For example, the round 115 mm diameter backing pad for sanding large areas. When combined with the highly robust tool components and given the power of the FEIN MultiMaster, the sanding capacity of most oscillating or eccentric sanders is far surpassed.

FEIN OMTs simply and effectively renovates painted and weathered surfaces, such as wooden windows, garage doors and steps. FEIN genuine accessories allow you to precisely work on surfaces, corners, edges, grooves, profiles and difficult-to-reach spots. Use the segment saw blade to remove old putty quickly and with ease and use the round backing pad to make great work progress on large areas.

53



STARLOCK

### Sanding pad, soft

For special areas of application such as touching up aluminium rims and paint repairs. Plastic carrier plate for preventing damage and marks on the work-piece. Only use with Sanding sheets, super-soft". Triangular shape, super-soft version, hook and loop fastening."

56



STARLOCK

### Standard sanding pad

Standard version. Plastic carrier plate for preventing damage and marks on the work-piece. Triangular shape, hook and loop fastening.

54



STARLOCK

### Sanding pad, low profile

For very narrow, flat openings (e.g. slats on cupboards, window shutters). Plastic carrier plate for preventing damage and marks on the work-piece. Triangular shape, flat version, hook and loop fastening.

57



STARLOCK PLUS

### Large delta sanding pad set

Large sanding area thanks to 130 mm edge length. Can be used with or without dust extraction. Fully foamed sanding pad for secure grip and maximum service life. Includes: 1 sanding pad, corundum sanding sheets, 2 each of 60, 80 and 180 grit.

48



STARLOCK

### Sanding pad

For use in very narrow and deep places, in channels, grooves, openings and folds. Also in mould-making, on concave forms and in convex forms. Plastic carrier plate for preventing damage and marks on the work-piece. Finger shape, hook and loop fastening.

55




STARLOCK

### Standard sanding pad, perforated

Standard version for sanding with dust extraction. Plastic carrier plate for preventing damage and marks on the work-piece. Triangular shape, perforated version, hook and loop fastening.

58



### Assorted sanding sheet set

50 abrasive sheets in various grits for universal use from coarse to fine grinding on almost any material. Aluminium oxide and full resin bond guarantee fast material removal, minimum glazing and long tool life. Price includes: 10 of each type of sanding sheet (60, 80, 120, 180, 240 grit), unperforated, with hook and loop attachment.

49



STARLOCK PLUS

### Profile grinding set

22-part set for sanding in grooves and on outside radii. Contents: 1 holder with 6 different profile inserts. 1 x V-form for 90° angle, 1 x trapezium form for tongue-and-groove connections, 1 x straight form for profiles, 1 x convex form (large), 1 x concave and 1 x convex form (small) and sanding sheets, 5 each of 80, 120 and 180 grit.



59



### Assorted sanding sheet set

50 abrasive sheets in various grits for universal use from coarse to fine grinding on almost any material. Aluminium oxide and full resin bond guarantee fast material removal, minimum glazing and long tool life. Price includes: 10 of each type of sanding sheet (60, 80, 120, 180, 240 grit), perforated, for use dust extraction system.

50




STARLOCK PLUS

**Sanding set**

Sanding set For quickly and cost-effectively sanding medium-sized surfaces. The alternative to eccentric or random sanders. No kick-back effect at edges. Easy to use, very good sanding capacity. Can be used with or without dust extraction. Plastic carrier plate for preventing damage and marks on the work-piece. Round shape, perforated version, hook and loop fastening. Scope of supply: 1 backing pad diameter 115 mm, with perforated sanding sheets, 2 each of grit 60, 80, 180.


No.	Mount	Grit	Ø Dia. (mm)	Qty	Part number	List Price excl. VAT
48	Finger Sanding Pad	SL	-	50	6 38 06 159 22 0	£ 10.82
49	Profile sanding set <b>NEW</b>	SLP	various	-	6 38 10 031 01 0	£ 42.39
50	Sanding Set	SLP	various	115	6 38 06 195 21 0	£ 23.86
51	Assorted sanding sheet set	-	various	115	6 37 17 227 01 0	£ 10.84
52	Sanding sheet set, zirconium	-	various	115	6 37 17 233 02 0	£ 18.45
53	Sanding Pad	SL	-	80	6 38 06 141 22 0	£ 13.66
54	Sanding Pad	SL	-	80	6 38 06 142 22 0	£ 13.66
55	Sanding Pad	SL	-	80	6 38 06 136 22 0	£ 15.47
56	Sanding Pad	SL	-	80	6 38 06 129 22 0	£ 10.09
57	Large delta sanding pad set <b>NEW</b>	SLP	various	130	6 38 06 204 21 0	£ 26.74
58	Assorted sanding sheet set, non perforated	-	various	80	6 37 17 082 03 3	£ 16.40
59	Assorted sanding sheet set, perforated	-	various	80	6 37 17 109 03 5	£ 17.55
60	Assorted sanding sheet set, perforated 130mm <b>NEW</b>	-	various	130	3 52 22 952 10 0	£ 9.62

51

**Assorted sanding sheet set**

16 abrasive sheets in various grits for universal use from coarse to fine grinding on almost any material. Aluminium oxide and full resin bond guarantee fast material removal, minimum glazing and long tool life. Price includes: 4 of each type of Ø 4-1/2 in sanding sheet (60, 80, 120, 180 grit), unperforated, for use with or without dust extraction system, hook and loop attachment. Savings compared to individual purchase.

52

**Sanding sheet set, zirconium**


12 sanding sheets with an unrivalled removal rate on extremely hard surfaces such as clear coats (e.g. parquet finishes) or metal. The sanding sheet for all floor covering work. Extremely durable paper quality due to extremely heavy, full resin bond with high quality zirconium aluminium oxide coating. Price includes: 4 of each type of Ø 4-1/2 in sanding sheet (40, 60, 80 grit), perforated, for use with or without dust extraction system, hook and loop attachment. Savings compared to individual purchase.

**Accessories**

A RANGE OF ADDITIONAL ACCESSORIES CAN BE FOUND ON PAGE 22-23 TO ENHANCE YOUR FEIN EXPERIENCE. THESE INCLUDE ADAPTER, DEPTH-STOPS AND EXTRACTOR SETS



60

**NEW****130mm assorted delta sanding sheet set**

High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. For use on virtually all materials. 16 corundum sanding sheets of various grits for the universal use of coarse to fine sanding on virtually all materials.

No. 57 - Extra large 130mm sanding pad



59



#### Sanding sheets

High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. For universal use on virtually all materials. Non-perforated, hook and loop fastening.

61



#### Sanding sheets, perforated

High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. For universal use on virtually all materials. Perforated, for use with perforated sanding pad and dust extraction, hook and loop fastening.

63



#### Sanding sheets

High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. For universal use on virtually all materials. 115 mm diameter, perforated, for use with and without dust extraction, hook and loop fastening.

60



#### Supersoft sanding sheets

Special sanding sheets for machining aluminium rims, performing touch-up work on dust inclusions, dealing with paint runs, overspray on wood, plastic, metal, etc. Only to be used in conjunction with the sanding pad 6 38 06 141 02 6. Non-perforated, hook and loop fastening.


62



#### Sandpaper for profile sanding set

High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. For universal use on virtually all materials, non-perforated.

64



#### Sanding sheets for sanding fingers


With Velcro rapid attachment, fully bonded with artificial resin, high sanding capacity, corundum. For use on: wood, metal, soldered joints, fibreglass, plastic, paint, filler, leather. Pack of 20

No.	Ø Dia. (mm)	Grit	Qty	Part No.	List Price
		36	5	6 37 17 086 04 8	£ 4.26
		40	5	6 37 17 081 04 6	£ 3.95
		60	5	6 37 17 082 04 9	£ 3.95
		80	5	6 37 17 083 04 3	£ 3.95
		100	5	6 37 17 084 04 1	£ 3.95
		120	5	6 37 17 085 04 5	£ 3.95
		150	5	6 37 17 087 04 2	£ 3.95
		180	5	6 37 17 088 04 0	£ 3.95
		220	5	6 37 17 089 04 4	£ 3.95
		240	5	6 37 17 090 04 6	£ 3.95
59	Sanding sheets. unperforated	80			
		36	50	6 37 17 086 01 0	£ 23.80
		40	50	6 37 17 081 01 8	£ 16.40
		60	50	6 37 17 082 01 1	£ 16.40
		80	50	6 37 17 083 01 5	£ 16.40
		100	50	6 37 17 084 01 3	£ 16.40
		120	50	6 37 17 085 01 7	£ 16.40
		150	50	6 37 17 087 01 4	£ 16.40
		180	50	6 37 17 088 01 2	£ 16.40
		220	50	6 37 17 089 01 6	£ 16.40
		240	50	6 37 17 090 01 8	£ 16.40
		40	35	6 37 17 243 01 0	£ 15.66
59	Sanding sheets. ZIRCONIUM	80			
		60	35	6 37 17 244 01 0	£ 15.66
		80	35	6 37 17 245 01 0	£ 15.66
		40	50	6 37 17 120 01 4	£ 18.79
	Stone sanding sheets, unperforated	80			
		80	50	6 37 17 121 01 3	£ 17.25
		120	50	6 37 17 122 01 6	£ 16.79
		220	50	6 37 17 123 01 0	£ 16.79
		320	50	6 37 17 124 01 8	£ 16.79
		400	50	6 37 17 125 01 2	£ 16.79
		600	50	6 37 17 175 01 7	£ 16.79
		800	50	6 37 17 176 01 0	£ 16.79
		240	50	6 37 17 126 01 5	£ 17.15
60	Supersoft sanding sheets	80			
		320	50	6 37 17 127 01 9	£ 17.15
		400	50	6 37 17 128 01 7	£ 17.15
		500	50	6 37 17 179 01 6	£ 17.15



No.	Ø Dia. (mm)	Grit	Qty	Part No.	List Price
		36	5	6 37 17 107 04 9	£ 5.07
		40	5	6 37 17 108 04 7	£ 4.26
		60	5	6 37 17 109 04 1	£ 4.26
		80	5	6 37 17 110 04 3	£ 4.26
		100	5	6 37 17 111 04 2	£ 4.26
		120	5	6 37 17 112 04 5	£ 4.26
		150	5	6 37 17 113 04 9	£ 4.26
		180	5	6 37 17 114 04 7	£ 4.26
		220	5	6 37 17 115 04 1	£ 4.26
		240	5	6 37 17 116 04 4	£ 4.26
61	80	36	50	6 37 17 107 01 1	£ 27.33
		40	50	6 37 17 108 01 9	£ 17.55
		60	50	6 37 17 109 01 3	£ 17.55
		80	50	6 37 17 110 01 5	£ 17.55
		100	50	6 37 17 111 01 4	£ 17.55
		120	50	6 37 17 112 01 7	£ 17.55
		150	50	6 37 17 113 01 1	£ 17.55
		180	50	6 37 17 114 01 9	£ 17.55
		220	50	6 37 17 115 01 3	£ 17.55
		240	50	6 37 17 116 01 6	£ 17.55
		40	35	6 37 17 236 01 0	£ 16.79
		60	35	6 37 17 237 01 0	£ 16.79
		80	35	6 37 17 238 01 0	£ 16.79
		80	25	6 37 17 217 01 6	£ 8.85
62	80	120	25	6 37 17 218 01 4	£ 8.85
		180	25	6 37 17 219 01 8	£ 8.85
		40	16	6 37 17 230 02 0	£ 10.84
		60	16	6 37 17 227 02 0	£ 10.84
		80	16	6 37 17 228 02 0	£ 10.84
		120	16	6 37 17 229 01 0	£ 10.84
		180	16	6 37 17 231 02 0	£ 10.84
		240	16	6 37 17 232 01 0	£ 10.84
		40	12	6 37 17 233 01 0	£ 18.45
		60	12	6 37 17 234 01 0	£ 18.45
		80	12	6 37 17 235 01 0	£ 18.45

65




NEW

**130mm assorted delta sanding sheet set**

High sanding capacity, little clogging and long service life guaranteed thanks to corundum abrasive grit and full bonding with artificial resins. For use on virtually all materials.

66



NEW

**130mm assorted delta sanding sheet set**

Excellent sanding capacity on extremely hard surfaces such as varnish (e.g. parquet paint) or metal. The sanding sheet for all floor covering work. Extremely sturdy paper quality thanks to extremely tough full bonding with artificial resins and high-quality zirconium corundum coating. Non-perforated, hook and loop fastening.

**Zirconium**

EXCELLENT SANDING CAPACITY ON EXTREMELY HARD SURFACES SUCH AS VARNISH (E.G. PARQUET PAINT) OR METAL. THE SANDING SHEET FOR ALL FLOOR COVERING WORK. EXTREMELY STURDY PAPER QUALITY THANKS TO TOUGH FULL BONDING WITH ARTIFICIAL RESINS AND HIGH-QUALITY ZIRCONIUM CORUNDUM COATING.

No.	Ø Dia. (mm)	Grit	Qty	Part No.	List Price
		40	20	6 37 17 184 01 2	£ 5.47
		60	20	6 37 17 185 01 6	£ 5.47
		80	20	6 37 17 186 01 9	£ 5.47
		100	20	6 37 17 187 01 3	£ 5.47
		120	20	6 37 17 188 01 1	£ 5.47
		150	20	6 37 17 189 01 5	£ 5.47
		180	20	6 37 17 190 01 7	£ 5.47
		220	20	6 37 17 191 01 6	£ 5.47
		240	20	6 37 17 192 01 9	£ 5.47
		40	16	6 37 17 292 02 0	£ 9.62
		60	16	6 37 17 293 02 0	£ 9.62
		80	16	6 37 17 294 02 0	£ 9.62
		120	16	6 37 17 295 02 0	£ 9.62
		180	16	6 37 17 296 02 0	£ 9.62
		240	16	6 37 17 297 02 0	£ 9.62
65	130	60	12	6 37 17 299 01 0	£ 16.04
		80	12	6 37 17 300 01 0	£ 16.04

## SCRAPING & CUTTING BLADES

FEIN scraper blades have number application uses. Carpet adhesive residue and coatings don't stand a chance against the rigid stopper knife. The rigid stopper knife can also be used to remove underseal and other stubborn coverings in the best possible time. The stopper knife is perfect for removing elastic (e.g. silicone or acrylic) sealants. Available as a rigid or flexible version.

These blades can also be resharpened by placing running blade on a low speed against a sanding sheet.



69



SPECIAL MATERIAL

STARLOCK

### Fixed Scraper Blade

Short version. For removing stubborn old paint, adhesive residues, carpets, tile adhesives and coats of underseal.

70



SPECIAL MATERIAL

STARLOCK

### Flexible Scraper Blade

Short version. For removing silicone or acrylic joints in bathrooms and removing stickers.

71




SPECIAL MATERIAL

STARLOCK PLUS

### Fixed Scraper Blade

Long version. For removing stubborn old paint, adhesive residues, carpets, tile adhesives and coats of underseal.

72



SPECIAL MATERIAL

STARLOCK

### Cutting blade

Mushroom-shaped, for cutting silicone and soft putty material and for separating insulation glass units.

## SPECIALIST BLADES



73



SPECIAL MATERIAL

STARLOCK MAX

### Cutting blade

Universal blade for virtually all expansion joints. Straight. Width 30 mm, cutting depth 60 mm.

74



SPECIAL MATERIAL

STARLOCK MAX

### Diamond cleaning knife

For cleaning mortar flanks before filling them in again. Straight. Width 31 mm, cutting depth 60 mm.

75



SPECIAL MATERIAL

STARLOCK MAX

### Cutting blade

Straight, long shape, for deep joints.

76




SPECIAL MATERIAL

STARLOCK MAX

### Cutting blade

Cutting blade Straight, very long shape, for very deep joints.

77



GROUT

STARLOCK MAX

**Tile joint cleaner**

For quickly and cost-effectively cleaning very dirty tile joints. The alternative to a costly, complete renovation. Suitable for all widths of tile joint.

78



SPECIAL MATERIAL

STARLOCK

**Saw blade**

Saw blade For all soft materials. Segmented, ideal for working in corners and on edges without overcutting.



No. 79 - cutting form board to lay UFH pipes



No. 77 - Tile clean blade, softly cleans grout

79



SPECIAL MATERIAL

STARLOCK MAX

**Cutting tool**

For making grooves in rigid foam panels for 1/2 and 3/4" hot water pipes and for empty pipes for electrical installation. Automatic fixing of laid pipes. Simple, quick and safe to use. StarlockMax fitting, can be used on all multi-function tools with suitable fitting. With adapter, suitable for all FEIN SuperCut before 04/16 too."

80



SPECIAL MATERIAL

STARLOCK MAX

**Cutting tool**

For making grooves in rigid foam panels for electrical, wall and underfloor heating. StarlockMax fitting, can be used on all multi-function tools with suitable fitting. With adapter, suitable for all FEIN SuperCut before 04/16 too.

81



SPECIAL MATERIAL

STARLOCK PLUS

**HSS circular knife**

For universal cutting work in leather, plastic sheets, roofing fabric, cork etc.

82



SPECIAL MATERIAL

STARLOCK MAX

**Segment saw blade**

For cutting out putty-mounted isolation glass.

**Using a SuperCut?**

IF YOU'RE A SUPERCUT USER, EVERY ACCESSORY IN THE FEIN OMT RANGE IS AVAILABLE TO YOU. IF YOU'RE USING A PRE 04/2016 VERSION YOU'LL NEED AN ADAPTER - SEE PAGE 23



No.	Mount	Width (mm)	Length (mm)	Ø Dia. (mm)	Qty	Part No.	List Price
69	Fixed Scraper Blade	SL			1	6 39 03 226 21 0	£ 13.87
70	Flexible Scraper Blade	SL			1	6 39 03 165 21 0	£ 7.52
71	Fixed Scraper Blade	SLP			1	6 39 03 234 21 0	£ 14.11
72	Cutting blade	SL			5	6 39 03 245 23 0	£ 25.10
73	Cutting blade	SLM	30	60	1	6 39 03 236 23 0	£ 19.99
					1	6 39 03 237 21 0	£ 68.87
74	Diamond cleaning knife	SLM	31	60	5	6 39 03 237 23 0	£ 309.89
75	Cutting blade	SLM			1	6 39 03 238 21 0	£ 20.06
76	Cutting blade	SLM			5	6 39 03 239 23 0	£ 64.14
77	Tile joint cleaner	SLP			2	6 37 19 011 22 0	£ 17.98
78	Saw blade	SL		80	2	6 35 02 113 21 0	£ 18.43
			22 (profile cutting depth)		2	6 39 03 246 22 0	£ 37.31
79	Cutting Tool	SLM	12 (profile cutting depth)		2	6 39 03 248 22 0	£ 37.31
80	Cutting Tool	SLM	6.5 (profile cutting depth)		2	6 39 03 247 22 0	£ 37.31
81	HSS circular knife	SLP		100	1	6 39 03 235 21 0	£ 50.75
82	Segment saw blade	SLM				6 39 03 244 22 0	£ 59.30

# FEIN BLADES FOR COMPOSITE MATERIALS

A mixture of open teeth and solid carbide coating for perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without de-lamination. Distortion-free, long, straight cuts at high cutting speed and with precision. Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.

This new exclusive range of accessories brings another difficult, niche application to FEIN range of OMTs.



No.		Mount	Length (mm)	Width (mm)	Ø Dia. (mm)	Qty	Part No.	List Price
83	Carbide saw blade	SLP			90	1	6 35 02 187 21 0	£ 36.56
84	Diamond-coated saw blade	SLP			90	1	6 35 02 188 21 0	£ 74.18
85	E-Cut carbide saw blade	SLP	50	35		1	6 35 02 191 21 0	£ 25.81
86	E-Cut diamond saw blade	SLP	50	35		1	6 35 02 193 21 0	£ 41.93
87	E-Cut diamond saw blade	SLM	60	44		1	6 35 02 204 21 0	£ 46.23
88	Carbide saw blade	SLM			105	1	6 35 02 215 21 0	£ 41.93
89	Diamond-coated saw blade	SLM			105	1	6 35 02 220 21 0	£ 101.07



### E-Cut diamond saw blade

Diamond coating for outstanding service life. Gentle sawing with perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without delamination. Particularly well suited to precise cut-outs and short cuts. Precise working into the corners and on edges.



### Carbide saw blade

Open teeth for perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without delamination. Distortion-free, long, straight cuts at high cutting speed and with precision. Extra thin version. Cutting width approx. 1.2 mm.



### Carbide saw blade

Open teeth for perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without delamination. Distortion-free, long, straight cuts at high cutting speed and with precision. Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.



### Diamond-coated saw blade

Open teeth for perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without delamination. Distortion-free, long, straight cuts at high cutting speed and with precision. Diamond coating for outstanding service life. Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.



### E-Cut carbide saw blade

Gentle sawing with perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without delamination. Particularly well suited to precise cut-outs and short cuts. Precise working into the corners and on edges.



### E-Cut diamond saw blade

Diamond coating for outstanding service life. Gentle sawing with perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without delamination. Particularly well suited to precise cut-outs and short cuts. Precise working into the corners and on edges.



### Diamond-coated saw blade

Open teeth for perfect, clean cut edges in carbon fibre-reinforced plastic/fibreglass-reinforced plastic materials without delamination. Distortion-free, long, straight cuts at high cutting speed and with precision. Diamond coating for outstanding service life. Extra thin version. Cutting width approx. 1.2 mm. Segmented, ideal for working in corners and on edges without overcutting.



# FEIN MACHINES AND ACCESSORIES FOR CAR & BOAT RENOVATION



A15



90



STARLOCK

### Felt polishing pad

For polishing up metal parts, and for polishing and decorative polishing of stone and stone products. Can also be used to work with gelcoats on boats. Plastic carrier plate for preventing damage and marks on the work-piece.

92




SPECIAL MATERIAL

### Cutting blade

For cutting away panelled deck sealant materials quickly and safely. Also ideal for difficult areas such as cabins, rails, gunwales, cleats, and curves.

91



### Sanding sheets, foam backing

for removing scratches from paintwork, gelcoat, acrylic and polycarbonate glazing, lacquers, wood with a clear lacquer, furniture etc. For the best surface quality. 115 mm diameter with foam lamination, hook and loop fastening.

93



### Felt polishing pad

Felt polishing pad For polishing up metal parts, and for polishing and decorative polishing of stone and stone products. Can also be used to work with gelcoats on boats. Plastic carrier plate for preventing damage and marks on the work-piece. Burnishing compounds for the respective material are available from specialist retailers.

94



### Felt polishing pad

For polishing up metal parts, and for polishing and decorative polishing of stone and stone products. Can also be used to work with gelcoats on boats. Plastic carrier plate for preventing damage and marks on the work-piece. Burnishing compounds for the respective material are available from specialist retailers.

95



### Bristle fleece

Bristle fleece for cleaning boating/ polishing anti-slip structures.




No. 92 - Deck sealant removal blade

No.	Mount	Cutting Width (mm)	Ø Dia. (mm)	Qty	Part No.	List Price		
A15	FMM Marine set				7 22 95 266 00 0	£ 363.00		
90	Felt polishing pad	SL	80	2	6 38 06 140 22 0	£ 27.39		
				5	6 37 17 246 01 0	£ 13.87		
91	Sanding sheet	-	115	5	6 37 17 247 01 0	£ 13.87		
				5	6 39 03 200 21 0	£ 30.81		
				3	-	1	6 39 03 201 21 0	£ 30.81
92	Cutting blade	SLP		4	-	1	6 39 03 202 21 0	£ 30.81
				5	-	1	6 39 03 203 21 0	£ 30.81
				6	-	1	6 39 03 233 21 0	£ 30.81
93	Felt polishing pad	-	115	5	6 37 23 036 01 0	£ 20.14		
94	Felt polishing pad	-	80	5	6 37 23 032 01 0	£ 18.18		
95	Bristle Fleece	-	80	2	6 37 23 031 01 0	£ 10.41		

## ACCESSORY SETS

Cost effective sets designed with an application focus in mind.



### Best of Sanding accessory set

Best of Sanding accessory set 61-part accessory set for all sanding work on corners and edges as well as medium to large surfaces in a practical plastic storage box. Attractive savings over purchasing the items individually. Contents: 1 x triangular unperforated sanding pad, with sanding sheets, 10 each of 60, 80, 120, 180 grit, 1 backing pad 115 mm in diameter with sanding sheets, 6 each of 60, 80, 180 grit, 1 triangular carbide rasp.



### Best of Renovation accessory set

Best of Renovation accessory set 34-part accessory set for a wide range of renovation jobs at a special price in a practical plastic storage box. Universal use for sawing, sanding, cutting and much more. Attractive savings over purchasing the items individually. Contents: E-Cut long-life saw blades (1 x 10 mm and 1 x 20 mm), E-Cut long-life saw blades (3 x 35 and 3 x 65 mm), E-Cut universal saw blades (1 x 28 mm and 1 x 44 mm), 1 segmented HSS saw blade, diameter 85 mm, 1 segmented carbide saw blade, diameter 90 mm, 1 carbide file 10 mm, 1 rigid short stopper knife, 1 unperforated triangular sanding pad, with sanding sheets 3 each of 60, 80, 120, 180 grit, 1 backing pad, diameter 115 mm with sanding sheets, 2 each of 60, 80, 180 grit.




### Best of E-Cut accessory set

Includes 6 different E-Cut saw blades with bimetallic teeth at a special price in a practical plastic storage box. Contents: E-Cut universal saw blades (1 x 28 mm and 1 x 44 mm wide) and E-Cut long-life saw blades (2 x 35mm and 2 x 65mm wide).



### Saw and file set FMM

Saw and file set FMM Ideal combination for cutting small recesses and working in tight spots, e.g. for a variety of installation jobs, switch installation, model-building and more. Supplied: E-Cut long-life saw blade, 1 each of 10 mm and 20 mm, 1 carbide file 10 mm.



### E-Cut-Combo

E-Cut-Combo Collection of the 3 most popular FEIN E-Cut saw blades for universal use. Better value than buying items separately. Perfectly equipped for all sawing applications. Supplied: 1 E-Cut long-life saw blade 35 mm wide, 1 E-Cut long-life saw blade 65 mm wide and 1 E-Cut universal saw blade 44 mm wide.



### E-Cut-Combo


Collection of the 3 most popular FEIN E-Cut saw blades for universal use. Better value than buying items separately. Perfectly equipped for all sawing applications. Supplied: 1 E-Cut long-life saw blade 35 mm wide, 1 E-Cut long-life saw blade 65 mm wide and 1 E-Cut universal saw blade 44 mm wide.



Dust extraction set  
2 sanding pads, perforated; sanding sheets, perforated, 5 each of grit 60, 80, 120; 1 extractor hood with suction pipe; 2 hose sockets for hose connection with a diameter of 27 and 32 mm and 2 adapters for connecting to the most common household vacuum cleaners.  
FMM 250 / 250 Q, FMT 250 / 250Q, FMT 250 SL / 250 QSL

No.	Mount	V	Ah	Part No.	List Price
101	SLP			3 52 22 942 04 0	£ 59.47
102	SLP			3 52 22 942 06 0	£ 160.26
103	SLP			3 52 22 942 05 0	£ 59.47
104	SLP			3 52 22 952 02 0	£ 24.19
105	SLP			3 52 22 952 03 0	£ 40.22
106	SL			3 52 22 952 13 0	£ 37.44
107	FMM350Q/QSL			9 26 02 091 00 0	£ 41.73
	FMT250 / FMM250			9 26 02 092 00 0	£ 52.43
108				9 26 02 083 01 0	£ 46.66
109				3 39 01 144 01 0	£ 21.43
110				9 26 04 129 01 0	£ 43.00
111				9 26 04 096 01 0	£ 153.46
112	Li-Ion Battery	18	5	9 26 04 173 02 0	£ 105.00
		18	2.5	9 26 04 171 02 0	£ 72.00
		12	2.5	9 26 04 168 02 0	£ 30.00
113				3 39 01 131 98 0	£ 45.76
114				3 02 40 271 00 0	£ 14.62
115				3 21 27 069 01 0	£ 18.91
116				3 52 22 927 05 0	£ 9.98
117				3 39 01 146 00 0	£ 51.02
				3 39 04 491 00 0	£ 9.84
118				3 52 22 952 05 0	£ 13.05
119				3 52 22 952 04 0	£ 13.05

108



#### Table-top and drill jigs support

Perfect for precision cut-outs: the FEIN MultiMaster can be clamped to a table or work bench and the work piece safely fed to it. Clamping in drill stands with a standard 43 mm dia. collar clamp is possible.

109



#### Carrying case empty

Plastic case with practical inner layout, tool and accessories not included.  
FMM 250 / 250 Q, FMT 250 / 250Q, FMT 250 SL / 250 QSL

110



#### Quick charger ALG 50

For all FEIN Li-ion batteries. Charge time from 35 min.

111



#### Quick charger ALG 30

For FEIN NiCd and Li-ion batteries. Charge time from 25 min.

112



#### Battery pack

Li-ion with charge indicator. Available in 18V, 5Ah / 18V, 2.5Ah / 12V, 2.5Ah

113



#### Carrying case empty

Plastic case with practical inner layout, tool and accessories not included.  
FMM 350 Q / QSL, AFMM 18 QSL, AFSC 18 QSL


114



#### Replacement Pin - MultiMaster QuickIn Machines.

Replace pin for FMM250Q, FMM350Q, FMT250Q and AFMM machines post 2007

115



#### Depth stop

Depth stop for all saw blades. For accurate working at depth. Effective protection for blade and work-piece. Contents: 1 adapter for attachment to the machine, rotates freely through 360°. 1 depth stop, 1 depth-adjustable guide block. Can only be used with (A)FMM or (A)FSC.

116



#### Adapter for FEIN oscillator (up to 2004)

Spacer ring and clamping screw for older FEIN MultiMaster models MSx 636, MSx 636-1 and MSxe 636 II. Up to 40% improved torque transfer thanks to positive-fit connection to Starlock mounting on accessory side. Flat clamping screw for working flush with the surface.

117



#### Systainer Sys 1

Plastic, inner dimensions: H 75 x W 383 x D 273 mm  
The tool-specific Systainer insert must be ordered separately.

118



#### Adapter for FEIN SuperCut with QuickIN

Required to fit accessory parts with Starlock, StarlockPlus or StarlockMax mounting.

119



#### Adapter for FEIN SuperCut without QuickIN

Required to fit accessory parts with Starlock, StarlockPlus or StarlockMax mounting.

# DUST EXTRACTION

## Technical specification (based on 230v machines, 110v may vary)

Model		DUSTEX 25 L	DUSTEX 35 L	DUSTEX 35 LX AC	DUSTEX 35 MX AC
Fully autom. filter cleaning		Compact class		Premium Class	
Dust class		L	L	L	M
Weight according to EPTA	kg	8.0	9.5	14.1	14.1
Max. rated output	W	1380	1380	1380	1380
Air flow rate (at blower)	l/min	4320	4320	4320	4320
Vacuum	mbar	253	253	254	254
Tank capacity	l	22	32	35	35
Sound pressure level	dB (A)	67	67	69	69

Ideal applications					
Liquids		✓	✓	✓✓	✓✓
Coarse dirt		✓✓	✓✓✓	✓✓	✓✓
Fine dust		✓	✓	✓✓✓	✓✓✓
Dusts harmful to health		-	-	-	✓✓✓

✓ small amounts   ✓✓ large amounts   ✓✓✓ very large amounts



### E1 DUSTEX 25L

A 22 litre compact, powerful wet and dry dust extractor for connecting to power tools when working in the workshop and for assembly work, with large accessory set.

### E2 DUSTEX 35L

A 32 litre compact, powerful wet and dry dust extractor for connecting to power tools when working in the workshop and for assembly work, with large accessory set.



### E4 DUSTEX 35 MX-AC

Powerful, professional wet/dry dust extractor of dust class M with fully automatic filter cleaning for attachment of various case systems including extensive accessories.

#### Maximum agility

The large, non-marking wheels make the DUSTEX even more flexible. The bumpers even allow the new extractors to be pulled over stairs. The ergonomic push bar greatly simplifies transport.

#### Filter technology

The high-quality filters are automatically cleaned with the AutoClean system AC and are easy to access from the outside. They are resistant to moisture and can also be used to extract liquids.

#### High suction

254 mbar vacuum and 4320 l/min volumetric flow at the blower ensure an above-average suction force, the infinitely variable speed control allows the suction performance to be set with precision.

#### Simple handling

The new case holder is suited to all common case systems.



### E3 DUSTEX 35 LX-AC

Powerful, professional wet/dry dust extractor of dust class L with fully automatic filter cleaning for attachment of various case systems including extensive accessories.





**E5**

**Flat-fold filter**  
Cellulose, M dust class certification

**E6**

**Flat-fold filter**  
PES, M dust class certification, superior filter

**E7**

**Flat-fold filter**  
HEPA

**E8**

**Permanent filter**  
Replaces the fleece filter bag

**E9**

**Premium fleece filter bag**  
Reinforced material and seams for fine and abrasive dusts.


**E10**

**Accessory set**  
2 suction pipes, Combi nozzle, Crevice nozzle, Suction brush, Elbow

No.	Pk size	Model	Voltage	Part No.	List Price	
E1	-		110v	9 20 27 211 24 0	£ 322.00	
			230v	9 20 27 223 24 0		
E2	-		110v	9 20 28 211 24 0	£ 366.00	
			230v	9 20 28 223 24 0		
E3	-		110v	9 20 30 060 24 1	£ 684.00	
			230v	9 20 30 060 24 0		
E4	-		110v	9 20 32 060 24 1	£ 855.00	
			230v	9 20 32 060 24 0		
E5	1			3 13 45 012 01 0	£ 29.17	
E6	1			3 13 45 059 01 0	£ 55.95	
E7	1			3 13 45 060 01 0	£ 90.96	
E8	1	25L/35L		3 13 45 064 01 0	£ 57.13	
E9	5			25L	3 13 45 061 01 0	£ 23.32
				35L	3 13 45 062 01 0	£ 30.32
	5	35MX-AC		3 13 45 251 01 0	£ 48.73	
E10	-			3 13 45 071 02 0	£ 80.44	
E11	5	35MX-AC		3 13 45 063 01 0	£ 31.54	
E12	1			3 13 22 772 00 2	£ 10.49	

### Pre-2014 Dustex accessories

Please note that if your FEIN machine looks like this, these spares are not compatible with your machine.

**E11**

**Disposal Bag**  
Open, recommended for AC models only

**E12**

**Stepped collar**  
for various connection diameters, e.g. for connecting up equipment from other manufacturers.



# SELECT +

# 1 2 3



**APPLICATION** +  
**Wood / Metal**

What are the machines going to be used for?

**POWER**  
**12V / 18V**

How hard is the machine going to work?

**CAPACITY** +  
**2.5Ah / 5.0Ah**

How long are you using the machine for?

# SELECT<sup>+</sup> 18v

## S1 FEIN SELECT<sup>+</sup>



**ABS 18 Select**  
2-speed cordless drill/driver ABS 18 Select The compact FEIN cordless drill/driver: light and extremely durable.

## S2 FEIN SELECT<sup>+</sup>



**ASB 18 Select**  
2-speed cordless hammer drill/driver ASB 18 Select. The universal FEIN cordless drill/driver: for demanding drilling and screw connections in all materials.

## S3 FEIN SELECT<sup>+</sup>



**ASCM 18 Select**  
4-speed cordless drill/driver ASCM 18 Select The most powerful FEIN cordless drill/driver: with brushless motor and 4-speed gearbox.

## S8 FEIN SELECT<sup>+</sup>



**AFSC 18 QSL Select**  
Battery-powered oscillating multi-tool AFSC 18 The most powerful cordless oscillator with rapid clamping system for interior work and renovation.

## S9 FEIN SELECT<sup>+</sup>



**ABOP 6 Select**  
Drill (battery-powered) up to 6 mm ABOP 6 Select Fast-running single-speed drill (battery-powered) with excellent speed stability, up to 6 mm in steel in metal construction.

## S14 FEIN SELECT<sup>+</sup>



**ASCS 6.3 Select**  
Cordless metal screw gun up to 6.3 mm ASCS 6.3 Select. Speed-optimised cordless drill/driver for screw connections in metal up to a diameter of 6.3mm.

## S15 FEIN SELECT<sup>+</sup>



**ABSS 18 1.6 E Select**  
Cordless slitting shears up to 1.6 mm ABSS 18 1.6 E Select Easy-to-use, curve-compatible cordless slitting shears for distortion-free cuts and cut-outs in sheet metal up to 1.6 mm.

No.	Part No.	List Price
S1	ABS 18 Select	7 113 19 63 00 0 <b>£ 187.00</b>
S2	ASB 18 Select	7 104 06 63 00 0 <b>£ 187.00</b>
S3	ASCM 18 Select	7 116 03 62 00 0 <b>£ 294.00</b>
S4	ASCM 18 QX Select	7 116 04 62 00 0 <b>£ 294.00</b>
S5	ASCD 18 W2 Select	7 115 01 63 00 0 <b>£ 187.00</b>
S6	ASCD 18 W4 Select	7 115 02 63 00 0 <b>£ 187.00</b>
S7	AFMM 18 QSL Select	7 129 22 62 00 0 <b>£ 198.00</b>
S8	AFSC 18 QSL Select	7 129 27 60 00 0 <b>£ 275.00</b>
S9	ABOP 6 Select	7 105 01 62 00 0 <b>£ 286.00</b>
S10	ABOP 10 Select	7 105 02 62 00 0 <b>£ 286.00</b>
S11	ABOP 13-2 Select	7 105 03 62 00 0 <b>£ 342.00</b>
S12	AWBP 10 Select	7 105 04 62 00 0 <b>£ 353.00</b>
S13	AGWP 10 Select	7 109 01 62 00 0 <b>£ 442.00</b>
S14	ASCS 6.3 Select	7 113 11 63 00 0 <b>£ 286.00</b>
S15	ABSS 18 1.6 E Select	7 130 03 61 00 0 <b>£ 564.00</b>
S16	ABLS 18 1.6 E Select	7 130 04 61 00 0 <b>£ 508.00</b>
S17	ABLK 18 1.6 E Select	7 132 04 61 00 0 <b>£ 508.00</b>
S18	ABLK 18 1.3 CSE Select	7 132 05 61 00 0 <b>£ 508.00</b>
S19	ABLK 18 1.3 TE Select	7 132 06 61 00 0 <b>£ 508.00</b>

**S4 FEIN SELECT<sup>+</sup>**



**ASCM 18 QX Select**  
4-speed cordless drill/driver ASCM 18 QX Select The most powerful FEIN cordless drill/driver: with brushless motor, 4-speed gearbox and removable drill chuck.

**S5 FEIN SELECT<sup>+</sup>**



**ASCD 18 W2 Select**  
Cordless impact wrench 1/2 in ASCD 18 W2 Select The extremely robust FEIN cordless drill/driver: short and lightweight design with great torque delivery of 250 Nm.

**S6 FEIN SELECT<sup>+</sup>**



**ASCD 18 W4 Select**  
Cordless impact driver 1/4 in ASCD 18 W4 Select The extremely robust FEIN cordless drill/driver: short and lightweight design with great torque delivery of 158 Nm.

**S7 FEIN SELECT<sup>+</sup>**



**AFMM 18 QSL Select**  
Battery-powered oscillating multi-tool Battery-powered FEIN MultiMaster The high-performance, battery-powered universal system for interior work and renovation with QuickIN and accessories for a wide range of applications.

**S10 FEIN SELECT<sup>+</sup>**



**ABOP 10 Select**  
Drill (battery-powered) up to 10 mm ABOP 10 Select Compact single-speed drill with speed stability (battery-powered), up to 10 mm in steel for on-site installation work.

**S11 FEIN SELECT<sup>+</sup>**



**ABOP 13-2 Select**  
Drill (battery-powered) up to 13 mm ABOP 13-2 Select Universal two-speed drill (battery-powered), up to 13 mm with ideal speed range for steel and stainless steel.

**S12 FEIN SELECT<sup>+</sup>**



**AWBP 10 Select**  
Angle drill up to 10 mm AWBP 10 Select Extremely small cordless angle drill for working in difficult-to-reach spots.

**S13 FEIN SELECT<sup>+</sup>**



**AGWP 10 Select**  
Cordless thread drill up to M 10 AGWP 10 Fast, accurate thread drill with reversing gear for shorter working times.

**S16 FEIN SELECT<sup>+</sup>**



**ABLS 18 1.6 E Select**  
Cordless sheet metal shears up to 1.6 mm Easy-to-use, curve-compatible and fast cordless sheet metal shears for cuts in sheet metal up to 1.6 mm.

**S17 FEIN SELECT<sup>+</sup>**



**ABLK 18 1.6 E Select**  
Cordless nibbler up to 1.6 mm ABLK 18 1.6 E Select Compact and curve-compatible nibbler for roof and façade construction. Precise cuts in trapezoid and corrugated sheet metals and profiles.

**S18 FEIN SELECT<sup>+</sup>**



**ABLK 18 1.3 CSE Select**  
Cordless nibbler up to 1.3 mm ABLK 18 1.3 CSE Select Compact and curve-compatible nibbler for roof and façade construction. Precise cuts in corrugated sheet metal up to 1.3 mm.

**S19 FEIN SELECT<sup>+</sup>**



**ABLK 18 1.3 TE Select**  
Cordless nibbler up to 1.3 mm ABLK 18 1.3 TE Select Compact and curve-compatible nibbler for roof and façade construction. Precise cuts in trapezoid sheet metal up to 1.3 mm.

# SELECT<sup>+</sup> 12V

## S20 FEIN SELECT<sup>+</sup>



**ABSU 12 Select**  
2-speed cordless drill/driver ABSU 12 C Powerful and light cordless drill/driver with fixed drill chuck.

## S21 FEIN SELECT<sup>+</sup>



**ABSU 12 W4 Select**  
2-speed cordless drill/driver ABSU 12 W4C Compact cordless drill/driver with outstanding ergonomics and extremely short design.

## S22 FEIN SELECT<sup>+</sup>



**ASCD 12-100 W4 Select**  
Cordless impact wrench/driver ASCD 12-100 W4C Short and light cordless impact wrench/driver with powerful 100 Nm torque.

## S23 FEIN SELECT<sup>+</sup>



**ASCM 12 Select**  
4-speed cordless drill/driver ASCM 12 C The most powerful 12V cordless drill/driver with brushless motor, 4-speed gearbox and removable drill chuck.

## S24 FEIN SELECT<sup>+</sup>



**AFMT 12 QSL Select**  
Battery-powered oscillating multi-tool FEIN cordless MultiTalent The battery-powered, universal system for interior work and renovation with QuickIN and the basic accessories needed for sanding and sawing.



No.	Part No.	List Price
S20 ABSU 12 Select	7 113 20 64 00 0	£ 90.00
S21 ABSU 12 W4 Select	7 113 21 64 00 0	£ 85.00
S22 ASCD 12-100 W4 Select	7 115 03 64 00 0	£ 140.00
S23 ASCM 12 Select	7 116 10 64 00 0	£ 162.00
S24 AFMT 12 QSL Select	7 129 25 62 00 0	£ 168.00



No.		Part No.	List Price
S25	Battery starter set 12 V / 2,5 Ah	9 260 42 51 01 0	£ 103.00
S26	Battery starter set 18 V / 5.0 Ah	9 260 43 01 03 0	£ 253.00
S27	Battery starter set 18 V / 2,5 Ah	9 260 43 01 04 0	£ 186.00

# SELECT<sup>+</sup> BATTERY SETS

S25

**FEIN SELECT<sup>+</sup>**



**Battery starter set 12 V / 2,5 Ah**

Battery starter set Very durable, light 12 V Li-ion batteries with innovative SafetyCell technology, 2,5Ah capacity and charge indicator.

S26

**FEIN SELECT<sup>+</sup>**



**Battery starter set 18 V / 5.0 Ah**

Battery starter set Very durable, light 18 V Li-ion batteries with innovative SafetyCell technology, 5Ah capacity and charge indicator.

S27

**FEIN SELECT<sup>+</sup>**



**Battery starter set 18 V / 2,5 Ah**

Battery starter set Very durable, light 18 V Li-ion batteries with innovative SafetyCell technology, 2,5Ah capacity and charge indicator.

# FEIN - The Specialist For Durable Power Tools

FEIN is the specialist for professional and extremely reliable power tools and special solutions. As the inventor of the electric hand drill, FEIN has been developing innovative and unbeatably efficient solutions for everyday use which can also stand up to the toughest continuous use in industry and trade for over 140 years.

Take advantage of the 3-year **FEIN PLUS** warranty We offer the 3-year **FEIN PLUS** warranty for all your FEIN power tools. All you need to do is register your new FEIN power tool at [www.fein.com/warranty](http://www.fein.com/warranty) within 6 weeks of purchase.



If you have any further questions, your specialist dealer will be happy to help.

EN: FEIN United Kingdom

Tel: 01327 308730

Fax: 01327 308739

[www.fein-uk.co.uk](http://www.fein-uk.co.uk)



**FEIN. Unverwüstliche  
Elektrowerkzeuge.**

