

► INTERIOR

FEIN. Unverwüstliche  
Elektrowerkzeuge.



**FEIN DUSTEX: powerful, safe, mobile.**

The new standard for extraction.



**NEW!**  
DUSTEX premium class



## The air is pure: create a working environment free from pollutants.

When you think about dangers at work, dust may not be the first thing that comes to mind. But working in a dusty environment is very risky to your health. The FEIN DUSTEX extractors have connections for FEIN tools and lots of adapters for other devices, allowing you to keep the air and environment clean and free of dust. As an additional bonus, this all-rounder doesn't just extract dry dirt but can handle liquids too.



Protects airways, accessories and your wallet: the automatic cleaning processes extend the life of the filter and cut your ongoing operating costs.



Premium class

Compact class

### Areas of application

Model	DUSTEX 25 L	DUSTEX 35 L	DUSTEX 35 LX	DUSTEX 35 LX AC	DUSTEX 35 MX	DUSTEX 35 MX AC
	Compact class		Premium class			
Dust class	L	L	L	L	M	M
Liquids	●	●	●●●	●●	●●●	●●
Coarse dirt	●●	●●●	●●	●●	●●	●●
Fine dust	●	●	●●	●●●	●●	●●●
Dusts harmful to health	-	-	-	-	●●	●●●

● small amounts ●● large amounts ●●● very large amounts



In accordance with EN 60335-2-69, harmless dusts, such as household dust, gypsum or sand, are classified as dust class L. They have a workplace exposure limit (WEL) of  $> 1\text{mg}/\text{m}^3$ . For dust extractors of dust class L, the filter material is checked and there are no disposal requirements. The filter used may have a maximum permeability of  $\leq 1.0\%$ .



In accordance with EN 60335-2-69, dust class M includes e.g. dusts from timber (beech, oak), paint, ceramics, putty, filler, cement, concrete, tile adhesive, but also latex and oil-based paints or materials containing quartz. These materials have a workplace exposure limit of  $\geq 0.1\text{mg}/\text{m}^3$ , so the entire device is checked. Because class M dusts are harmful to the airways, little may escape during disposal. The filter used may have a maximum permeability of  $< 0.1\%$ .



# An overview of the new FEIN DUSTEX premium class.

The FEIN DUSTEX premium class combines everything you expect of a professional cleaning device. It satisfies all the criteria of a FEIN power tool: a powerful turbine, high capacity and extreme durability.

The tested filter systems capture even very fine dust harmful to health, thereby promoting a healthy workplace. Automatic filter cleaning makes for long filter lives and therefore effective, non-stop working free of pollution.



## Proven filter technology

- ▶ The high-quality filters are automatically cleaned with the AutoClean system AC and are easy to access from the outside.
- ▶ The filters are resistant to moisture and can also be used to extract liquids. They continue to run without the need for conversion and reduce ongoing operating costs.

## Very high suction power

- ▶ A 254 mbar vacuum and 4320 l/min volumetric flow at the blower ensure above-average suction force.
- ▶ The infinitely variable speed control allows the suction performance to be set with precision.

## Incredibly simple handling

- ▶ The new case holder is suited to all common case systems. So the tool is always to hand when needed.
- ▶ The ergonomic push bar greatly simplifies transport.

## Maximum agility

- ▶ The large, non-marking wheels make the DUSTEX even more flexible and leave no trace.
- ▶ The bumpers above the wheels even allow the new extractors to be pulled over stairs with ease.
- ▶ The 4 m suction hose and 7.5 m mains cable enable a large working radius.

## Performance data

Model	DUSTEX 35 LX	DUSTEX 35 LX AC	DUSTEX 35 MX	DUSTEX 35 MX AC
Fully autom. filter cleaning	-	●	-	●
Weight according to EPTA	13.5 kg	14.1 kg	13.5 kg	14.1 kg
Max. rated output	1380 W	1380 W	1380 W	1380 W
Air flow rate (at blower)	4320 l/min	4320 l/min	4320 l/min	4320 l/min
Vacuum	254 mbar	254 mbar	254 mbar	254 mbar
Tank capacity	35 l	35 l	35 l	35 l
Sound pressure level	69 dB (A)	69 dB (A)	69 dB (A)	69 dB (A)
Included in price:	1 push bar, 1 PES flat fold filter, 1 premium fleece filter bag, 1 suction hose 4m dia. 35mm, 1 tool collar with suction force regulation, 1 stepped collar, 1 elbow, 2 suction pipes, 1 combi nozzle with interchangeable inserts, 1 crevice nozzle, 1 suction brush	1 push bar, 1 PES flat fold filter, 1 disposal bag, 1 suction hose 4m dia. 35mm, 1 tool collar with suction force regulation, 1 stepped collar, 1 elbow, 2 suction pipes, 1 combi nozzle with interchangeable inserts, 1 crevice nozzle, 1 suction brush	1 push bar, 1 PES flat fold filter, 1 premium fleece filter bag, 1 ES suction hose 4m dia. 35mm, 1 tool collar with suction force regulation, 1 stepped collar, 1 elbow, 2 suction pipes, 1 combi nozzle with interchangeable inserts, 1 crevice nozzle, 1 suction brush	1 push bar, 1 PES flat fold filter, 1 disposal bag, 1 ES suction hose 4 m dia. 35mm, 1 tool collar with suction force regulation, 1 stepped collar, 1 elbow, 2 suction pipes, 1 combi nozzle with interchangeable inserts, 1 crevice nozzle, 1 suction brush
Order number	9 20 29 060 00 0	9 20 30 060 00 0	9 20 31 060 00 0	9 20 32 060 00 0

# An overview of the FEIN DUSTEX compact class.

Small, light and powerful: The extractors in the FEIN DUSTEX compact class provide the basis for effective dust extraction and a clean, unpolluted workplace. The reliable and versatile extractors are easy to operate, agile, very robust and have a long life.

Whether you work with swarf, metal, dust, sand or liquids – the FEIN DUSTEX compact extractors are indispensable for daily, professional use.



### High degree of effectiveness

- ▶ A 253 mbar vacuum and 4320 l/min volumetric flow at the blower ensure a strong suction force.

### Simple handling

- ▶ The practical storage area with edge, cable and hose hooks and a 4 m suction hose ensure mobility and a high freedom of movement.



### Extreme agility

- ▶ Large, 360° rotating castors allow the DUSTEX to access even tight spaces with ease.

## Performance data

Model	DUSTEX 25 L	DUSTEX 25 L set	DUSTEX 35L	DUSTEX 35 L set
Weight according to EPTA		8.0 kg		9.5 kg
Max. rated output		1380 W		1380 W
Air flow rate (at blower)		4320 l/min		4320 l/min
Vacuum		253 mbar		253 mbar
Tank capacity		22 l		32 l
Sound pressure level		67 dB (A)		67 dB (A)
Included in price:	1 suction hose 4 m, dia. 35 mm, 1 tool collar with suction force regulation, 1 fleece filter bag, 1 cellulose flat fold filter	1 suction hose 4 m dia. 35 mm, 1 tool collar with suction force regulation, 1 fleece filter bag, 1 cellulose flat fold filter, 2 suction pipes (metal version), 1 combi nozzle with interchangeable inserts, 1 crevice nozzle, 1 suction brush, 1 elbow	1 suction hose 4 m, dia. 35 mm, 1 tool collar with suction force regulation, 1 fleece filter bag, 1 cellulose flat fold filter	1 suction hose 4 m dia. 35 mm, 1 tool collar with suction force regulation, 1 fleece filter bag, 1 cellulose flat fold filter, 2 suction pipes (metal version), 1 combi nozzle with interchangeable inserts, 1 crevice nozzle, 1 suction brush, 1 elbow
<b>Order number</b>	<b>9 20 28 223 00 0</b>	<b>9 20 27 060 00 0</b>	<b>9 20 28 223 00 0</b>	<b>9 20 28 060 00 0</b>

# Maximum output at all times: DUSTEX system accessories.

**Cellulose flat fold filter**  
nano-coated, preferably dry  
dusts, dust class M



Order number  
3 13 45 012 01 0

**PES flat fold filter**  
nano-coated, for use in the  
wet and dry, dust class M  
certification



Order number  
3 13 45 059 01 0

**HEPA flat fold filter**  
Special filter



Order number  
3 13 45 060 01 0

**Permanent filter**  
to use in place of the  
fleece filter bag.  
For DUSTEX 25 L/35 L



Order number  
3 13 45 064 01 0

**Fleece filter bag**  
holds 2-3 times more dust than  
paper filter bags, particularly  
tear-resistant. 5 pcs.



for order number  
DUSTEX 25 L 3 13 45 061 01 0  
for order number  
DUSTEX 35 L 3 13 45 062 01 0

**Suction hose**



Length 4 m  
Order number  
diam. 27 mm 3 13 45 065 01 0  
Order number  
diam. 35 mm 3 13 45 066 01 0

**Suction hose**  
electrostatically discharging



Length 4 m  
Order number  
diam. 27 mm 3 13 45 121 01 0  
Order number  
diam. 35 mm 3 13 45 120 01 0

**Extension hose**



Length 2.5 m  
Order number  
diam. 27 mm 3 13 45 067 01 0  
Order number  
diam. 35 mm 3 13 45 068 01 0

**Repair set**  
power tool side, suitable for  
35 mm diameter hose



Order number  
3 13 45 069 01 0

**Elbow**  
with clip system fits directly on  
27 mm and 35 mm diameter  
suction hose



Order number  
3 13 45 070 01 0

**Elbow**  
with leak air aperture



Order number  
3 13 45 263 01 0

**HEPA filter bag**  
for abrasive dusts.  
For DUSTEX 35 L.  
3 pcs.



Order number  
3 13 45 130 01 0

**Premium fleece filter bag**  
Reinforced seams for fine and  
abrasive dusts.  
For DUSTEX 35 L /LX/MX.  
5 pcs.



Order number  
3 13 45 251 01 0

**Suction pipe**  
2 parts, made from chrome-  
plated metal



Order number  
3 13 45 071 01 0

**Floor nozzle**  
reversible, with stainless steel  
sliding surface and all-round  
bristles



Order number  
3 13 45 072 01 0

**Combi nozzle**  
for wet and dry work with  
interchangeable inserts, rubber  
lips, brush strips, 300 mm



Order number  
3 13 45 073 01 0

**Aluminium combi nozzle**



Order number  
3 13 45 137 01 0

**Crevice nozzle**  
for corners and crevices, 250 mm



Order number  
3 13 45 074 01 0

**Upholstery nozzle**  
with brush strips, 128 mm



Order number  
3 13 45 075 01 0

**Suction brush**  
can be rotated, with natural  
bristles, 70 x 45 mm bristle area



Order number  
3 13 45 076 01 0

**Intake brush**  
Natural bristles, bristle area  
120 x 45 mm



Order number  
3 13 45 263 01 0

**Tool collar with suction  
force regulation**  
power tool side



Order number  
diam. 38 mm 3 13 45 123 01 0

**Tool collar with suction  
force regulation**  
electrically conducting, power  
tool side



Order number  
diam. 27 mm 3 13 45 250 01 0

**Cable holder**  
to guide cable on suction  
hose, suitable for suction hose  
diameter of 27-35 mm




Order number  
3 13 45 119 01 0

**Stepped collar**  
4 levels, for adapting to the  
required diameter with clip  
system



Order number  
3 13 45 079 01 0

**Disposal bag**  
Recommended for AC models.  
5 pcs.



Order number  
3 13 45 063 01 0

**Accessory set for FEIN dust  
extractor**  
Consisting of: 2 suction pipes,  
1 combi nozzle, 1 crevice  
nozzle, 1 suction brush, 1 elbow



Order number  
3 13 45 071 02 0

**FEIN. Unverwüstliche  
Elektrowerkzeuge.**



## **FEIN. Durable power tools.**

FEIN is the specialist for professional and extremely reliable power tools and special solutions. As the inventor of the electric hand drill, FEIN has been developing innovative and unbeatably efficient solutions for everyday use which can also stand up to the toughest continuous use in industry and trade for over 140 years.

### **FEIN MULTIMASTER TOP FMM 350 QSL**

The powerful and universal system for interior work and renovation with a very wide range of equipment for outstanding versatility, including dust extractor DUSTEX 25 L. For more info, please visit [www.fein.com/multimaster](http://www.fein.com/multimaster)



**Order number**

**7 229 52 61 06 0**

For everything you need to know about dust extractors and their accessories, please visit [www.fein.com](http://www.fein.com) or contact your specialist dealer.

**If you have any further questions, your specialist dealer will be happy to help:**

**DE:** C. & E. Fein GmbH, Telefon 07173 183-0, [www.fein.com](http://www.fein.com)  
**AE:** FEIN Middle East FZE, Tel. 04 8861168, [www.fein.ae](http://www.fein.ae)  
**Asia:** FEIN Power Tools Asia Limited, A1, Phone 2341-1026, [www.fein.asia](http://www.fein.asia)  
**EE/LT/LV:** Ota-Tuote Oy, Phone 00358 9 5499 2400, [www.otatuote.com](http://www.otatuote.com)  
**IN:** FEIN Power Tools India Pvt. Ltd., Phone 044-43 578 680, [www.fein.in](http://www.fein.in)  
**SA:** Mimar for Construction Tools & Trading Ltd., Phone 02 6686888, [www.fein.ae](http://www.fein.ae)

