


► INTERIOR

**FEIN. Unverwüstliche
Elektrowerkzeuge.**



The world's most powerful renovation system.

FEIN SUPERCUT CONSTRUCTION.



**New sets and
new accessories**



Save time and money – with the FEIN SUPERCUT CONSTRUCTION.

Powerful motor, high-quality materials, outstanding ergonomics – the FEIN SUPERCUT CONSTRUCTION is the most powerful system for interior and renovation applications. It's fast, strong, versatile and, of course, durable. It allows you to work up to 350% faster, even in tough continuous use in heavy-duty sawing applications, which is hardly surprising, as the new FEIN SUPERCUT embodies more than 40 years of experience in developing durable oscillators for industry and manual trades.



You will find new accessories on page 21 onwards.

The right set for every professional.

FEIN's expertise has resulted in the development of an outstanding range of accessories which allow users to perform all the important special applications in most trades as well as a multitude of general construction applications. The FEIN SUPERCUT CONSTRUCTION and the industry-specific accessory sets give professional tradespeople everything they need to achieve the best results in minimum time in tasks which previously required time-consuming manual labour.



FEIN professional set for interior work with wood Page 8-9



The extensive range of E-CUT saw blades for wood, plastic, plasterboard and metal make the set the powerful system for fast and precise sawing work in interior and renovation applications.

FEIN professional set for repairing/replacing windows Page 10-11



With its special range of accessories, this is perfectly suited to fast, simple and neat renovation of putty-mounted insulation windows and replacing old windows. It also cuts working time by up to 80%.

FEIN professional set for tile restoration/bathroom renovation Page 12-13



The powerful system with diamond and carbide-coated tools for perfectly cutting out tiles, removing tile joints and trimming tile adhesive.

FEIN professional set for heating/sanitary installation Page 14-15



The ideal system for making cut-outs in panels and for precise laying of electrical cables, water and heating pipes.

FEIN professional set for grout renewal Page 16-17



The special range of accessories allows you to cut out damaged elastic sealants in building construction and civil engineering and cut working time by up to 60%. Also suited to removing joints damaged by harmful materials.

Satisfies the most stringent requirements in terms of performance and quality – whether used as a mains or battery-powered tool.

The FEIN SUPERCUT CONSTRUCTION is the unique oscillating power tool on the market and its performance is consistently focused on the needs of tough sawing and cutting work. FEIN has thereby developed an oscillating tool which permits work to progress at levels that can otherwise only be achieved with professional jigsaws and sabre saws with numerous applications and materials. At the same time, this tool can be used for virtually any application, a feature only found in oscillating power tools.

The benefits for you at a glance

- ▶ More than 40 years of experience in oscillation technology.
- ▶ The high quality you'd expect from a "Made in Germany" tool.
- ▶ Mains-powered and cordless versions provide the same power.
- ▶ Unbeatable performance and versatility.
- ▶ FEIN genuine accessories for the best results and maximum tool life.
- ▶ Sets tailored to the relevant needs supplied in a plastic tool case.

QuickIN



Patented QuickIN clamping system for convenient and fast tool changes without a wrench.

Metal gearbox



Robust metal gearbox housing for long service life even in tough working conditions.

Oscillation



Outstanding work progress thanks to constant oscillation.

Tool mounting

Force-fit hexagonal tool holder for optimum torque transfer.



Maximum work efficiency – even with a battery.

Even as a battery-powered tool, the FEIN SUPERCUT remains the most powerful oscillator with durable professional quality. The work progress and performance delivered are practically the same as the mains-powered tool. The modern lithium-ion technology keeps the weight low and prevents memory effects. As 2 batteries and a powerful charger are supplied, you can work without interruption even at high loads.

Design

Angled motor housing for particularly compact design and effective vibration reduction.

Speed control

Consistently high performance with constant speed, even when loaded, thanks to electronic speed control with tacho generator.

Motor

Efficient, high-torque, 18 V electric motor with identical performance to the mains-powered version.

Ergonomics

Fatigue-free working thanks to ideal distribution of weight and ergonomic shape.

Li-ion battery

High capacity and full performance of 2.4 Ah even when subject to high load thanks to 10 modern Li-ion cells. Capacity display can be accessed directly on each battery.

Technical data

Model		AFSC 18
Battery voltage	V	18
Battery capacity	Ah	2.4
Oscillations	rpm	11 000 – 18 500
Amplitude	Degrees	3.4
Gear box head height	mm	80
Weight	kg	2.0
Tool holder		QuickIN

Emission values (sound/vibration) can be found at www.fein.com/vibration

FEIN lithium-ion technology for optimum performance and endurance.

In conjunction with the motor's high level of efficiency, FEIN lithium-ion batteries deliver the perfect combination of low weight and high performance. Their extremely long service lives are the result of individual cell monitoring, which protects the batteries from overload, overheating and total discharge, and the particularly efficient charging procedure. The low internal resistance of the high-quality cells minimises the build-up of heat in the battery. The battery can therefore be housed in a closed and dust-resistant housing, which also extends the service life.

Benefits of FEIN lithium-ion technology


- ▶ Long service life.
- ▶ Quick charger.
- ▶ Less self-discharge.
- ▶ Individual cell monitoring protects from overload.
- ▶ 50% lighter than NiCd batteries, yet they deliver the same performance.
- ▶ No memory effect – batteries can be charged at any time.

Short charge time




Quick and efficient: the quick charger charges the battery in 25–30 minutes. For continuous working.

Constant power



Powerful from the first cut to the last: the new FEIN lithium-ion technology delivers constant power until the battery is completely flat.

Low heat build-up



Shortened charge time: heat build-up is reduced thanks to high-quality battery cells with low internal resistance and the battery doesn't have to be cooled at outdoor temperatures of up to 45°C.

Integrated working



Convenient querying at the touch of a button: the capacity display indicates the battery's charge status.

Endurance and power



For peak and permanent loading: the battery pack contains 10 high-quality Li-ion cells and features a double-row design. The battery cells used are designed for high discharge currents.

Consistent maximum work efficiency thanks to mains connection.

The FEIN SUPERCUT is the most powerful oscillator with durable professional quality. In the mains-powered version, the flexible, extra long 5 m rubber cable enables a wide range of applications on the construction site.

Motor

Maximum performance thanks to high copper content of the FEIN high-power motor, which is suited to continuous use and overload.

Speed control

Consistently high performance with constant speed, even when loaded, thanks to electronic speed control with tachogenerator.

Industrial cable

Large working radius thanks to finely stranded 5 metre rubber cable of industrial quality.

Ergonomics

Fatigue-free working thanks to ideal distribution of weight and ergonomic shape.

Technical data

Model	FSC 2.0 Q	
Power consumption	W	400
Power output	W	220
Oscillations	rpm	11 000 – 18 500
Amplitude	Degrees	4.0
Cable with plug	m	5
Gear box head height	mm	80
Weight	kg	1.45
Tool holder	QuickIN	

Emission values (sound/vibration) can be found at www.fein.com/vibration

Upping the pace on the construction site – with the professional set for interior work with wood.

Whether you're dealing with simple on-site installation or fitting furniture, flooring, doors, lightweight walls or stairs, your work is made considerably easier with the FEIN professional set for interior work with wood. The FEIN SUPERCUT CONSTRUCTION offers speed and convenience wherever circular saws, jigsaws and sabre saws are needed and where manual tools previously needed a great deal of manual effort. You therefore no longer

need any free space behind the workpiece. The FEIN SUPERCUT CONSTRUCTION can work at any angle and flush to all surfaces. Thanks to the HSS saw blade and the depth stop, you can also make long cuts in ready-laid parquet or laminate flooring with ease. You can even use it to easily and quickly make precise cuts by hand.

Fitting kitchens and furniture



You can make cut-outs in hard-to-reach places with ease when fitting kitchens and other furniture.

Order number
6 35 02 164 01 0

Plunging with precision



The long E-CUT long-life saw blades are the alternative to mortise chisels, enabling you to work on-site with construction woods up to approx. 80 mm.

Order number
6 35 02 163 01 0

Shortening door frames



Produces perfect results in shortening door frames. Thanks to the shape, you can saw flush to the surface.

Order number
6 35 02 165 01 0

Infinite sawing options



The FEIN SUPERCUT CONSTRUCTION does not require any free space behind the workpiece. Subsequent cut-outs, for example in fitted skirting boards, can be made at speed and with precision.

Order number
6 35 02 164 01 0

Robust and powerful



FEIN E-CUT long-life saw blades offer impressive high cutting speeds and over 3 times the tool life of E-CUT standard saw blades. Thanks to their bimetal teeth they are not affected by nails in the wood.

Order number
6 35 02 164 01 0

Trimming and fitting freely by hand



The E-CUT precision saw blades ensure a neat cross-section – ideal for trimming and fitting.

Order number
6 35 02 121 01 1



Reworking expansion joints



The HSS saw blade for wood is excellently suited to accurate sawing e.g. parquet or laminate flooring. Fired stoves can therefore be subsequently fitted with ease, and working with wall and ceiling coverings is child's play.

Order number
6 35 02 153 01 0

Sanding parquet



The FEIN SUPERCUT CONSTRUCTION can also be used as a high-quality delta sander, e.g. as an addition to the parquet sanding machine, particularly when space is tight.

Order number
6 38 06 129 02 6

FEIN professional set for interior work with wood

The powerful system for interior fitting and renovation with special accessories for fast and precise sawing work when fitting wood.



Neater and faster renovation of windows – with the professional set for repairing/replacing windows.

Do you need to make repairs in the workshop or dismantle or fit new windows on the construction site? The FEIN SUPERCUT CONSTRUCTION with the FEIN professional set for repairing/replacing windows is perfect for both areas, as it cuts

working time on putty-mounted insulation windows by up to 80%. Old windows can be neatly dismantled on the construction site without damaging walls, tiles, window sills or roller shutter cases, making the work quicker, easier and neater.

► REPAIR

Cutting out putty-mounted insulation glass windows



Putty-mounted insulation windows can be removed on-site in one piece without the windows having to be broken up using the segment-shaped cutter blade. This means there's practically no risk of injury, no time-consuming tidying up and you cut working time by up to 80%.

Order number
6 39 03 166 01 6

Removing putty from glass



The FEIN SUPERCUT is the alternative to compressed air chisels and putty cutters, e.g. for removing putty from single and multi-layered glazing – with virtually no risk of glass breakage and no laborious preparatory work.

Order number
6 35 02 137 01 6

Cutting insulation glass



The mushroom-shaped cutter blade cuts insulation windows at speed and with ease. Undamaged single panes can be used for repairs elsewhere. Separating materials for disposal is extremely easy.

Order number
6 39 03 128 01 2

Removing paints



Old paints can be removed at speed with the triangular polygon sanding pad. A round backing pad is available for large surfaces.

Order number for sanding pad
6 38 06 129 02 6
Order number for backing pad
6 38 06 195 02 0

Restoring old windows



Weathered windows are often restored individually when renovating listed properties. With the E-CUT universal saw blade, you can precisely cut out damaged wing parts and replace them with new wooden parts.

Order number
6 35 02 148 01 3



► DISMANTLING OLD WINDOWS

Fitting roller shutter case covers



The HSS saw blade for wood can also make longer, straight cuts. Roller shutter case covers and similar parts can thereby be precisely produced or adjusted on-site at any time.

Order number
6 35 02 153 01 0

Replacing old windows



The HSS saw blade makes it possible to replace old windows even in problematic cases. Wall damage can be avoided and the saw blade lies flush to the frame. It can also cut through metal fastenings with ease.

Order number
6 35 02 137 01 6

Cutting out and fitting



E-CUT universal saw blades for all cut-outs and fitting work. Bi-metal teeth make them well-suited to wood, plastics, plasterboard, plaster, aluminium profiles, and even sheet metal.

Order number
6 35 02 147 01 5

Removing window frames



The FEIN E-CUT saw blades allow you to remove window frames rapidly and with minimum effort. The design principle virtually eliminates the possibility of damage to roller shutter cases or window sills.

Order number
6 35 02 163 01 0

FEIN professional set for repairing/replacing windows

The powerful system for interior fitting and renovation with special accessories for dismantling old windows and replacing putty-mounted insulation windows.



Replacing tiles with high-precision joints – with the professional set for tile restoration/bathroom renovation.

When undertaking repair work in sanitary installations, tiles must be replaced as quickly and as exactly as possible. The professionals set for tile restoration/bathroom renovation gives tiling professionals everything they need for the job. It can be used to cut out individual tile joints and replace tiles without

damaging neighbouring ones. Grouting cement materials can be cut out with precision, producing the minimum amount of dust and without overcutting, even in corners and radii. It's ideal for sawing flush to old heating pipes, trimming, cutting out, cutting and fitting drywall profiles, corner strips or floor panels.

Removing tile joints



The 2.2 mm wide diamond-coated segment blade cuts marble, epoxy resin and concrete trass joints. Tiles can subsequently be broken and removed.

Order number
6 39 03 162 01 7

Working with narrow tile joints



In addition to the 2.2 mm wide diamond-coated segment blade, the set also includes an extra thin carbide segment blade, only 1.2 mm wide, for working with particularly narrow tile joints.

Order number
6 39 03 224 01 0

Removing residue



The carbide rasp can remove plaster and screed residue or sand down tile adhesive before re-tiling at speed and with ease.

Order number
6 37 31 001 01 4

Sawing flush to pipes



Copper heating pipes which are no longer needed can be sawn off flush to the wall or floor using the stepped E-CUT universal saw blades – even in hard-to-reach places.

Order number
6 35 02 148 01 3

Scraping off floor coverings



New flooring needs a clean surface. The stopper knife allows you to remove even stubborn residue left behind by old floor coverings.

Order number
6 39 03 227 01 0

Removing silicone and acrylic grout



The mushroom-shaped cutter blade can remove damaged, elastic silicone or acrylic joint fillers at speed and without leaving residue. New joint materials can be applied without the need for rework.

Order number
6 39 03 128 01 2

Renovating large surfaces: Renewing tile joints instead of completely re-tiling.

The FEIN SUPERCUT CONSTRUCTION is in its element when restoring damaged or shabby tiles on large surfaces, e.g. in hotels or housing areas. It's the ideal tool for cost-effective renovation. The job can be done in a decent amount of time – and in comparison to complete renovation, you save around 80% in cost! As an option, the tool is available with dust extraction devices which can be fitted tool-free.

Cutting out joint materials containing epoxy resins



Excellently suited to cutting out particularly hard tile joints such as extremely waterproof epoxy resin joints in swimming pools.

Order number
6 37 31 162 01 7

FEIN professional set for tile restoration/bathroom renovation

The powerful system for interior fitting and renovation with special accessories for perfect removal of tiles and joints in bathroom renovation.



Ausführliche Informationen zu den Sets siehe Seite 19

Sanding down surfaces



Carbide rasp for sanding down tile adhesive, plaster, filler, concrete and stone. The large version delivers particularly good work progress and efficient machining of several square metres.

Order number
6 37 31 005 01 0

Long-life saw blades



For continuous use, round diamond or carbide saw blades with an extra large diameter are available for maximum tool life and cutting speed. Because they are twisted, they achieve a considerably longer service life than segmented blades.

Order number
6 35 02 172 01 0

Extracting dust



The dust extraction unit for the FSC 2.0 Q mains-powered tool can be used to prevent dirt and dust, for example when removing thick layers of tile adhesive or several millimetres of plaster.

Order number
9 26 02 074 01 4

Installing underfloor heating – with the professional set for heating/sanitary installation.

The prefabricated systems available on the market require long drying times and relatively large installation heights. Neither of these are possible in occupied properties. As a consequence, subsequent installations required a lot of time and money until now. The FEIN professional set for heating/sanitary installation provides you with a cost-effective way to fit individual sanitary installations – without time-consuming prising open or plaster work.

You can thereby make individual cut-outs directly in the ready-laid panels with ease. It's highly precise and produces minimal dust – no matter whether you're dealing with angular or round cut-outs. You benefit from fewer costs for heating and sanitary installations. Heating and hot water pipes and power lines are laid quicker and the most important tools for removing damaged tile joints are included in the set.

Making cut-outs



With the FEIN cutting tool, the channel for hot water underfloor heating is cut directly in the panel.

Order number
6 39 03 221 01 0

Laying pipes individually



A 1/2 or 3/4 inch plastic water pipe is laid in the individually made cut-out (Ø approx. 25 mm).

Order number
6 39 03 221 01 0

Installation work



All 3 cutting tools are included in the professional set for heating/sanitary installation: 12 mm for electrical cables, 13 mm for electric, wall or property heating, and 22 mm for underfloor heating or water pipes.

Order number
6 39 03 222 01 0 (12 mm)
6 39 03 223 01 0 (13 mm)
6 39 03 221 01 0 (22 mm)

Cutting panels



The straight cutter blade can cut panels at speed and with ease. You can make all the important radii as well as straight cuts.

Order number
6 39 03 116 01 1

Removing tile joints



Tile joints can be cut out without damaging neighbouring tiles using the diamond segment saw blade. This keeps the amount of dust produced extremely low – ideal for all repair work or removing old installations.

Order number
6 39 03 162 01 7

Sawing flush to pipes



Old copper and plastic pipes which are no longer needed can be removed by sawing flush to the wall with the FEIN SUPERCUT and the E-CUT universal saw blades.

Order number
6 35 02 148 01 3



Removing tile adhesive



The carbide rasp can remove tile adhesive, plaster and screed, enabling the replacement tile to be quickly fitted.

Order number
6 37 31 001 01 4

Removing floor coverings



The enlarged stopper knife can quickly remove carpet, linoleum or PVC floor coverings, tile adhesive and plaster.

Order number
6 39 03 227 01 0

FEIN professional set for heating/sanitary installation

The powerful system for interior fitting and renovation with special accessories for the key applications in sanitary repairs.



Renew grout in record time – with the professional set for grout renewal.

Grout sealants age and need to be replaced at some point so as to not damage the building fabric. It's a cumbersome and exhausting manual task. The professional set for grout renewal doesn't only make this task easier and a great deal faster than doing it by hand, but it also requires considerably less energy. In the case of older properties, grout sealants containing PCB were also used as well as the largely safe acrylic or silicone-based grouts. The professional

set for grout renewal includes a dust extraction device which is suited to the job and, when used in conjunction with an approved dust extractor and the specified protective measures, guarantees the best possible health protection. The professional set can quickly and safely remove all elastic sealants in both exterior and interior spaces. And you still only need one tool to remove old material and roughen joints before filling them in again.

► SAFE JOINT MATERIALS

Cutting out sealants



The straight cutter blade can be universally used to cut out all elastic grout sealants. Ideal for large properties: the energy-saving handle contained in the professional set.

Order number
6 39 03 117 01 5

Working with deep joints



Until now, manually working with deep joints has been a particularly difficult task. This will no longer be a problem with the long cutter blade.

Order number
6 39 03 116 01 1

Cleaning and re-sharpening



The cleaning block is used to re-sharpen and clean diamond tools, enabling you to remove sealant residue and other impurities at speed and with ease.

Order number
6 37 19 007 01 0

Cleaning flanks



The diamond cleaning blade cleans and roughens mortar flanks before you fill them in again, guaranteeing optimum adhesion of the new sealant material.

Order number
6 39 03 161 01 4



► **HAZARDOUS JOINT MATERIALS (e.g. PCB)**

Working with minimal dust



The FEIN SUPERCUT allows you to remove the sealant material, producing minimal dust, with a fitted extraction device.

Order number
9 26 02 084 01 0

Roughening mortar flanks



With the diamond cleaning blade, the extraction device can be used to roughen mortar flanks as well as remove the sealant material.

Order number
9 26 02 084 01 0

FEIN professional set for grout renewal

The powerful system for interior fitting and renovation with special accessories for grout renewal.



For detailed information about the sets, see page 20



A perfect match for every need: the FEIN SUPERCUT sets.

The FEIN SUPERCUT system is perfectly matched to the everyday requirements and needs of its users – with an extensive range of accessories for numerous professional applications. You can choose between a mains-powered or cordless version, offering the same performance and the best FEIN quality. For numerous industries, the FEIN SUPERCUT is also available in various needs-based professional sets in a practical tool case.

Technical data

FEIN SUPERCUT CONSTRUCTION

Cordless FEIN SUPERCUT

Model	FSC 2.0 Q	AFSC 18
		
	The powerful oscillator with quick clamping system for interior fitting and renovation.	The powerful cordless oscillator with quick clamping system for interior fitting and renovation.
QuickIN	•	•
Electronic speed setting	•	•
Mechanical interface	•	•
Hexagonal tool mounting	•	•
5 m industrial cable	•	-
Li-ion battery	-	•
Power consumption W	400	-
Power output W	220	-
Oscillations rpm	11,000–18,500	11,000–18,500
Amplitude Degrees	4	3.4
Weight [according to EPTA] kg	1.45	2
Gearbox head height mm	80	80
Cable with plug m	5	-
Battery voltage V	-	18
Battery capacity Ah	-	2.4
Order number	7 236 36 50	7 136 01 00
Contents	1 FEIN SUPERCUT FSC 2.0 Q, 1 plastic tool case	1 FEIN cordless SUPERCUT AFSC 18, 2 battery packs (Li-ion), 1 rapid charger ALG 30, 1 plastic tool case

FEIN professional set for interior work with wood



The powerful system for interior fitting and renovation with special accessories for fast and precise sawing work when fitting wood.

Order number	7 236 36 52	7 136 01 52
Contents	1 FEIN SUPERCUT CONSTRUCTION FSC 2.0 Q 1 HSS saw blade for wood, diameter 100 mm, 4 E-CUT long-life saw blades (form 162, 163, 164, 165), 4 E-CUT precision saw blades (form 119, 120, 121, 122), 2 E-CUT universal saw blades (form 147, 148), 1 depth stop, 1 sanding pad, 5 each of sanding pads (grain 80, 120, 180), 1 adapter, 2 tensioning elements, 1 plastic tool case	1 FEIN cordless SUPERCUT AFSC 18, 2 battery packs (Li-ion), 1 rapid charger ALG 30

FEIN professional set for repairing/replacing windows



The powerful system for interior fitting and renovation with special accessories for dismantling old windows and replacing putty-mounted insulation windows.

Order number	7 236 36 51	7 136 01 51
Contents	1 FEIN SUPERCUT CONSTRUCTION FSC 2.0 Q 1 HSS saw blade, stepped, diameter 100 mm, 1 HSS saw blade for wood diameter 100 mm, 1 E-CUT long-life saw blade (form 163), 2 E-CUT universal saw blades (form 147, 148), 1 cutter blade, mushroom-shaped, 1 depth stop, 1 sanding pad, 5 each of sanding pads (grain 80, 120, 180), 1 adapter, 2 tensioning elements, 1 plastic tool case	1 FEIN cordless SUPERCUT AFSC 18, 2 battery packs (Li-ion), 1 rapid charger ALG 30

FEIN professional set for tile restoration/bathroom renovation



The powerful system for interior fitting and renovation with special accessories for perfect removal of tiles and joints in bathroom renovation.

Order number	7 236 36 53	7 136 01 53
Contents	1 FEIN SUPERCUT CONSTRUCTION FSC 2.0 Q 1 segment blade, diamond-coated (form 162), 1 segment blade, carbide (form 224), 1 cutter blade, mushroom-shaped, 1 stopper knife, 2 carbide-coated rasps, triangular, perforated for dust extraction, 2 E-CUT universal saw blades (form 147, 148); 1 adapter, 2 tensioning elements, 1 plastic tool case	1 FEIN cordless SUPERCUT AFSC 18, 2 battery packs (Li-ion), 1 rapid charger ALG 30



FEIN professional set for heating/sanitary installation



The powerful system for interior fitting and renovation with special accessories for the key applications in sanitary repairs.

Order number	7 236 36 56	7 136 01 56
Contents	1 FEIN SUPERCUT CONSTRUCTION FSC 2.0 Q 1 diamond-coated segment blade (form 162), 3 cut-out tools (12, 13 and 22 mm), 1 cutter blade, straight, long (form 116), 2 E-CUT universal saw blades (form 147, 148) 1 stopper knife 1 carbide-coated rasp, triangular, perforated for dust extraction, 1 adapter, 2 tensioning elements, 1 plastic tool case	1 FEIN cordless SUPERCUT AFSC 18, 2 battery packs (Li-ion), 1 rapid charger ALG 30

FEIN professional set for grout renewal



The powerful system for interior fitting and renovation with special accessories for grout renewal.

Order number	7 236 36 54
Contents	1 FEIN SUPERCUT CONSTRUCTION FSC 2.0 Q 1 vibration-attenuating bail handle, 1 extraction device, 5 cutter blades, straight (form 117), 1 cutter blade, straight, long (form 116), 2 cleaning knives, diamond-coated, straight (form 161), 1 cleaning block, 1 metal tool case

FEIN genuine accessories: perfectly matched to the tool and application.

Only FEIN genuine accessories allow you to optimally exploit the versatility and capacity of the FEIN SUPERCUT.

- ▶ Outstanding progress in the development of oscillation technology guarantees accessories that are optimally matched to the tool's movement.
- ▶ FEIN genuine accessories are made from high-quality materials and are therefore designed for extreme loads in practical use.
- ▶ Used in conjunction with the FEIN SUPERCUT, the FEIN genuine accessories guarantee optimum work progress and precision.
- ▶ Wide range of unique accessories to satisfy a whole host of requirements, with numerous exclusive FEIN application solutions.

Round saw blades



The new diamond and carbide saw blades with a diameter of 105 mm offer both maximum tool life and, due to the increased stroke, optimum work progress. The saw blades are available with cutting widths of 1.2 mm and 2.2 mm.

FEIN E-CUT long-life saw blades



FEIN E-CUT long-life saw blades offer impressive high cutting speeds and over 3 times the tool life of E-CUT standard saw blades. Thanks to their bimetal teeth, the wooden saw blades are not affected by any nails (up to diameter of 4 mm), masonry etc. in the wood.



Depth stop



Thanks to the patented, mechanical interface, the FEIN SUPERCUT can, for instance, be used with a depth stop too.

Carbide rasp



The new large carbide rasp provides rapid work progress and is perfectly suited to sanding down filler, tile adhesive, concrete, cement and stone. It can also be used with dust extraction.

Rigid stopper knife



New floorings need a clean surface. The enlarged stopper knife allows you to quickly remove even stubborn residue left behind by old floor coverings and adhesive.

ACCESSORIES

Accessories for interior work with wood / repairing/replacing windows

E-Cut long-life saw blades

Bi-metallic teeth, stepped, high cutting speed. Extremely durable and robust. For hardwood, softwood and all other timber-based materials - including those with nails. Also perfectly suited to plastics and plasterboard.

78 mm long



Width mm	Qty	Order number
32	1	6 35 02 162 01 0
32	5	6 35 02 162 02 0
32	25	6 35 02 162 03 0

78 mm long



Width mm	Qty	Order number
42	1	6 35 02 163 01 0
42	5	6 35 02 163 02 0
42	25	6 35 02 163 03 0

50 mm long



Width mm	Qty	Order number
35	1	6 35 02 164 01 0
35	5	6 35 02 164 02 0
35	25	6 35 02 164 03 0

50 mm long



Width mm	Qty	Order number
65	1	6 35 02 165 01 0
65	5	6 35 02 165 02 0
65	25	6 35 02 165 03 0

E-Cut standard saw blades

Set teeth for all work with wood, plasterboard and plastic.

78 mm long



Width mm	Qty	Order number
32	1	6 35 02 123 01 8
32	5	6 35 02 123 04 6
32	25	6 35 02 123 03 0

78 mm long



Width mm	Qty	Order number
42	1	6 35 02 124 01 6
42	5	6 35 02 124 04 4
42	25	6 35 02 124 03 8

50 mm long



Width mm	Qty	Order number
35	1	6 35 02 135 01 9
35	5	6 35 02 135 03 1
35	25	6 35 02 135 02 5

50 mm long



Width mm	Qty	Order number
65	1	6 35 02 136 01 2
65	5	6 35 02 136 03 4
65	25	6 35 02 136 02 8

E-Cut precision saw blades

Double-row original Japan teeth, for high-precision cuts and clean cutting edges, exact work even by hand.

50 mm long



Width mm	Qty	Order number
35	1	6 35 02 119 01 0
35	5	6 35 02 119 04 8
35	25	6 35 02 119 03 2

50 mm long




Width mm	Qty	Order number
45	1	6 35 02 120 01 2
45	5	6 35 02 120 04 0
45	25	6 35 02 120 03 4

50 mm long



Width mm	Qty	Order number
55	1	6 35 02 121 01 1
55	5	6 35 02 121 04 9
55	25	6 35 02 121 03 3

50 mm long



Width mm	Qty	Order number
65	1	6 35 02 122 01 4
65	5	6 35 02 122 04 2
65	25	6 35 02 122 03 6

E-Cut Universal saw blades

With bi-metallic teeth, stepped, high cutting speed, sheet metal (400 N/mm²) up to approx. 2 mm, aluminium profile, copper pipes, wood, plasterboard and almost all plastics.

60 mm long



Width mm	Qty	Order number
28	1	6 35 02 147 01 5
28	5	6 35 02 147 02 1
28	25	6 35 02 147 03 7


60 mm long



Width mm	Qty	Order number
44	1	6 35 02 148 01 3
44	5	6 35 02 148 02 9
44	25	6 35 02 148 03 5

Depth stop

Suited to all E-CUT saw blades and non-stepped saw blades.



Order number	3 21 27 069 01 0
--------------	------------------

M-CUT saw blade, wide

For making cuts, cut-outs and recesses in sheet metal, plastic, GRP and CFRP, pack of 2.



Width mm	Length mm	Order number
30	50	6 35 02 138 01 4

M-CUT saw blade, narrow

For making cuts, cut-outs and recesses in sheet metal, plastic, GRP and CFRP, pack of 2.



Width mm	Length mm	Order number
10	50	6 35 02 158 01 0

Saw blades

HSS, with fine teeth for precise cutting. Universal use on sheet metals of up to approx. 1 mm, also doubled, and plastics



Ø mm	Qty	Order number
63	2	6 35 02 102 01 6
63	5	6 35 02 102 07 0
80	2	6 35 02 103 01 0
80	5	6 35 02 103 05 0


HSS, stepped,

countersunk clamping screw for flush working.



Ø mm	Qty	Order number
85	1	6 35 02 145 01 8
85	5	6 35 02 145 02 0
100	1	6 35 02 137 01 6
100	5	6 35 02 137 02 0


HSS saw blade, segmented



Ø mm	Qty.	Order number
100	1	6 35 02 180 01 0
100	5	6 35 02 180 02 0

HSS saw blade for wood

Ideal for long, straight cuts and for cutting out laid parquet or laminate flooring.



With depth stop

Ø mm	Order number
100	3 26 07 062 04 0

Without depth stop

Ø mm	Order number
100	6 35 02 153 01 0

Circular knife

HSS, stepped, for universal cutting work in leather, plastic sheets, roofing fabric, fly-screens etc., pack of 1.



Ø mm	Order number
100	6 39 03 220 01 0

Cutting paste

Lubricant for machining sheet metals.



Order number	3 21 32 020 12 9
--------------	------------------

Cutter blade

Mushroom-shaped, for cutting silicone and soft putty material and for separating insulation glass units. Pack of 5



Order number	6 39 03 128 01 2
--------------	------------------

Segment saw blade

Stepped, for cutting out putty-mounted isolation glass. Pack of 2.



Order number	6 39 03 166 01 6
--------------	------------------

Adapter

Needed to hold accessories with a round holder (e.g. rasps, sanding pads and polishing pads).



Order number	6 37 33 005 01 0
--------------	------------------

Sanding pad set, non-perforated

For sanding without extraction.



Qty	Order number
2	6 38 06 129 02 6

Sanding sheets for sanding pad

Unperforated, with hook and loop fastening. For universal use on practically all surfaces.



Grit	Qty	Order number
36	5	6 37 17 086 04 8
40	5	6 37 17 081 04 6
60	5	6 37 17 082 04 9
80	5	6 37 17 083 04 3
100	5	6 37 17 084 04 1
120	5	6 37 17 085 04 5
150	5	6 37 17 087 04 2
180	5	6 37 17 088 04 0
220	5	6 37 17 089 04 4
240	5	6 37 17 090 04 6
36	50	6 37 17 086 01 0
40	50	6 37 17 081 01 8
60	50	6 37 17 082 01 1
80	50	6 37 17 083 01 5
100	50	6 37 17 084 01 3
120	50	6 37 17 085 01 7
150	50	6 37 17 087 01 4
180	50	6 37 17 088 01 2
220	50	6 37 17 089 01 6
240	50	6 37 17 090 01 8

Sanding sheet set for sanding pad

For universal use on practically all surfaces. Effective material removal guaranteed thanks to corundum sanding grits and full bonding with artificial resins. Sanding sheets, non-perforated, with hook and loop fastening, 10 each of grit 60, 80, 120, 180, 240.



Order number	6 37 17 082 03 3
--------------	------------------

Sanding set, stone

Can be universally used for working with stone and stone products. Consisting of: Sanding sheets, non-perforated, 5 each of grit 40, 80, 120, 220, 320, 400, 600 and 800, sanding pad, 1 of each, unperforated, with aluminium and plastic backing plate, 1 felt polishing pad.



Order number	6 38 06 129 06 7
--------------	------------------

Sanding sheets, stone, for sanding pad

Specially for working with natural and artificial stone. In 8 stages for coarse and fine sanding.



Grit	Qty	Order number
40	50	6 37 17 120 01 4
80	50	6 37 17 121 01 3
120	50	6 37 17 122 01 6
220	50	6 37 17 123 01 0
320	50	6 37 17 124 01 8
400	50	6 37 17 125 01 2
600	50	6 37 17 175 01 7
800	50	6 37 17 176 01 0

Extraction set (only for the FSC 2.0 Q corded machine)

For all sanding and rasping work with triangular sanding pads and carbide rasps, including 2 sanding pads, perforated; sanding sheets, perforated, 5 each of grit 60, 80 and 120; 1 extraction hood with suction pipe; 2 hose sockets for hose connection with a Ø of 27 and 32 mm and 2 adapters for connecting to the most common household vacuum cleaners.



Order number	9 26 02 074 01 4
--------------	------------------

Backing pad set

Ø 115 mm, perforated for dust extraction, fully bonded with artificial resins for effective material removal, hook and loop fastening. Consisting of: 1 backing pad, 6 sanding sheets (2 sheets each of grit 60/80/180).



Order number	6 38 06 195 02 0
--------------	------------------

Sanding sheet set for backing pad

4 sheets each of grit 60/80/120/180.



Qty	Order number
16	6 37 17 227 01 0

Sanding sheets for backing pad



Grit	Qty	Order number
40	16	6 37 17 230 02 0
60	16	6 37 17 227 02 0
80	16	6 37 17 228 02 0
120	16	6 37 17 229 01 0
180	16	6 37 17 231 02 0
240	16	6 37 17 232 01 0

Sanding pad set, perforated

For sanding with dust extraction.



Qty	Order number
2	6 38 06 136 02 9

Sanding sheets, perforated, for sanding pad

For sanding with dust extraction. For universal use on practically all surfaces. Effective material removal guaranteed thanks to corundum sanding grits and full bonding with artificial resins.



Grit	Qty	Order number
36	5	6 37 17 107 04 9
40	5	6 37 17 108 04 7
60	5	6 37 17 109 04 1
80	5	6 37 17 110 04 3
100	5	6 37 17 111 04 2
120	5	6 37 17 112 04 5
150	5	6 37 17 113 04 9
180	5	6 37 17 114 04 7
220	5	6 37 17 115 04 1
240	5	6 37 17 116 04 4

36	50	6 37 17 107 01 1
40	50	6 37 17 108 01 9
60	50	6 37 17 109 01 3
80	50	6 37 17 110 01 5
100	50	6 37 17 111 01 4
120	50	6 37 17 112 01 7
150	50	6 37 17 113 01 1
180	50	6 37 17 114 01 9
220	50	6 37 17 115 01 3
240	50	6 37 17 116 01 6

ACCESSORIES

Accessories for tile restoration/ bathroom renovation, heating/ sanitary installation

Segment blade

Diamond, also for corners and radii and for working without overcutting. Cutting line approx. 2.2 mm, standard version for all marble, epoxy resin and concrete trass joints.



Qty	Order number
1	6 39 03 162 01 7
5	6 39 03 162 03 0

Cutting line approx. 1.2 mm, for extremely thin marble joints. Cutting depth max. 10 mm. Not suited to epoxy resin and concrete trass joints.



Qty	Order number
1	6 39 03 196 01 3
5	6 39 03 196 02 0

Saw blades

Diamond, stepped
Cutting line approx. 2.2 mm, standard version for all marble, epoxy resin and concrete trass joints.



Ø mm	Qty.	Order number
80	1	6 35 02 115 01 1
80	5	6 35 02 115 03 0
105	1	6 35 02 167 01 0
105	5	6 35 02 167 02 0

Cutting line approx. 1.2 mm, for extremely thin marble joints. Not suited to epoxy resin and concrete trass joints.



Ø mm	Qty.	Order number
80	1	6 35 02 116 01 4
80	5	6 35 02 116 02 0
105	1	6 35 02 168 01 0
105	5	6 35 02 168 02 0

Segment blade, carbide-coated

Compared to the diamond-coated version, the costs are lower and the service life shorter. Also suited to corners and radii and to working without overcutting. Cutting line approx. 2.2 mm for all marble and epoxy resin tile joints.



Qty	Order number
1	6 39 03 225 01 0
5	6 39 03 225 02 0
25	6 39 03 225 03 0

Segment blade, carbide-coated

Extra thin version. Cutting line approx. 1.2 mm, cutting depth max. 10 mm. Not suited to very hard epoxy resin or cement joints.



Qty	Order number
1	6 39 03 224 01 0
5	6 39 03 224 02 0
25	6 39 03 224 03 0

Saw blades, carbide-coated

Compared to the diamond-coated version, the costs are lower and the service life shorter. Stepped, cutting line approx. 2.2 mm, standard for all marble, epoxy resin and concrete trass joints.



Ø mm	Qty.	Order number
80	1	6 35 02 156 01 0
80	5	6 35 02 156 02 0
105	1	6 35 02 172 01 0
105	5	6 35 02 172 02 0

Saw blades, carbide-coated

Extra thin version, cutting line approx. 1.2 mm, not suited to very hard epoxy resin or cement joints.



Ø mm	Qty.	Order number
80	1	6 35 02 155 01 0
80	5	6 35 02 155 02 0
105	1	6 35 02 173 01 0
105	5	6 35 02 173 02 0

Adapter

Needed to hold accessories with a round holder (e.g. rasps, sanding pads and polishing pads).



Order number	6 37 33 005 01 0
--------------	------------------

Carbide rasp, triangular, carbide-coated

For coarse sanding of fillers, tile adhesives, concrete, stone and wood. Suited to use with or without dust extraction.



Order number	6 37 31 001 01 4
--------------	------------------

Large carbide rasp, triangular, carbide-tipped

For sanding down medium-sized surfaces with extremely rapid work progress.



Order number	6 37 31 005 01 0
--------------	------------------

Carbide rasp, finger-shaped

For coarse sanding of fillers, tile adhesives, concrete, stone and wood. The finger-shaped version, which is coated on both sides, is particularly well suited to artistic work.



Order number	6 37 31 002 01 7
--------------	------------------

Stopper knife

For removing coverings and coatings, e.g. underseal, adhesive residues etc.



Length mm	Qty.	Order number
64	2	6 39 03 206 01 8
72	2	6 39 03 227 01 0

Cutter blade

Straight. Universal blade for virtually all expansion joints. Pack of 5.



Order number	6 39 03 117 01 5
--------------	------------------

Straight, long, for very deep joints. Pack of 5.



Order number	6 39 03 116 01 1
--------------	------------------

Segment blade

Segment shape, for V cuts and cuts in corners, pack of 2.



Cutting length mm	Total length mm	Order number
30	73	6 39 03 132 01 0

Cutter blade

Mushroom-shaped, for cutting silicone and soft putty material and for separating insulation glass units. Pack of 5.



Order number	6 39 03 128 01 2
--------------	------------------

Cutting tool

For making grooves of 13x6.5 mm in rigid foam panels for electrical, wall and underfloor heating.

Pack of 2



Width mm	Cutting width mm	Cutting depth mm	Order number
50	13	6,5	6 39 03 223 01 0

For making grooves in rigid foam panels for electric cables up to 12 mm in diameter. Pack of 2.



Width mm	Plunge diameter mm	Order number
50	12	6 39 03 222 01 0

For making grooves in rigid foam panels for 1/2" and 3/4" hot water pipes and for empty pipes for electrical installation. Pack of 2.



Width mm	Plunge diameter mm	Order number
50	22	6 39 03 221 01 0

Cutting tool

For producing angled elements or corners in Schlüter® KERDI BOARD.



Cutting depth mm	Order number
12,5	6 39 03 231 01 0
19	6 39 03 230 01 0
28	6 39 03 229 01 0
38	6 39 03 228 01 0

Extraction set (only for the FSC 2.0 Q corded machine)

For all sanding and rasping work with triangular sanding pads and carbide rasps, including 2 sanding pads, perforated; sanding sheets, perforated, 5 each of grit 60, 80 and 120; 1 extraction hood with suction pipe; 2 hose sockets for hose connection with a Ø of 27 and 32 mm and 2 adapters for connecting to the most common household vacuum cleaners.



Order number	9 26 02 074 01 4
--------------	------------------

Extraction device

For working with diamond tools, can be fitted tool-free. Dust extraction connection Ø 32 mm.



Order number	9 26 02 084 01 0
--------------	------------------

Bail handle

For improved handling of the FEIN SUPERCUT during long periods of continuous use. Can also be used in conjunction with the extraction device 9 26 02 084 01 0.



Order number	3 21 19 116 01 1
--------------	------------------

Cleaning block

Rhombus for cleaning carbide and diamond tools.



Order number	6 37 19 007 01 0
--------------	------------------

Work gloves

Vibration-absorbing, certified in accordance with EN 388/420, EN ISO 10819, EEC No. 0200, no. in pack, 1 pair.



Size	Order number
9 L	3 21 73 003 00 3
10 XL	3 21 73 004 00 1
11 XXL	3 21 73 005 00 5

Accessories for grout renewal

Extraction device


For working with cutter blades (form 117) or for diamond cleaning blades (form 161).



Order number	9 26 02 084 01 0
--------------	------------------

Cleaning block


Rhombus for cleaning carbide and diamond tools.



Order number	6 37 19 007 01 0
--------------	------------------

Cutter blade

Straight. Universal blade for virtually all expansion joints. Pack of 5.



Order number	6 39 03 117 01 5
--------------	------------------

Straight, long, for very deep joints. Pack of 5.



Order number	6 39 03 116 01 1
--------------	------------------

Segment blade

Segment-shaped, for V cuts and cuts in corners, pack of 2.



Cutting length mm	Total length mm	Order number
30	73	6 39 03 132 01 0

Cleaning blade

Straight, diamond-coated, for cleaning mortar flanks before filling them in again.



Qty	Order number
1	6 39 03 161 01 4
5	6 39 03 161 03 0

Work gloves

Vibration-absorbing, certified in accordance with EN 388/420, EN ISO 10819, EEC No. 0200, no. in pack, 1 pair.



Size	Order number
9 L	3 21 73 003 00 3
10 XL	3 21 73 004 00 1
11 XXL	3 21 73 005 00 5

Bail handle

For improved handling of the FEIN SUPERCUT during long periods of continuous use. Can also be used in conjunction with the extraction device 9 26 02 084 01 0.



Order number	3 21 19 116 01 1
--------------	------------------

Accessories for AFSC 18

Battery pack

Li-ion 18 V, 2.4 Ah battery pack with charge monitoring display.



1 item	Order number	9 26 04 124 02 0
--------	--------------	------------------

Charger ALG 30

Quick charger for FEIN NC and Li-ion batteries.



1 item	Order number	9 26 04 096 01 0
--------	--------------	------------------

General accessories

Carbide file

For deburring and filing cut-outs in fibreglass, carbon fibre-reinforced plastic, plastics and wood, length 50 mm



Qty	Order number
2	6 37 06 018 01 0

**FEIN. Unverwüstliche
Elektrowerkzeuge.**



Make the most of the 3-year FEIN PLUS warranty

We offer the 3-year FEIN PLUS warranty for all your FEIN power tools. All you need to do is register your new FEIN power tool at www.fein.com/warranty within 6 weeks of purchase.

If you have any further questions or would like to test the FEIN SUPERCUT CONSTRUCTION, please contact your specialist dealer who will be happy to help:

DE: C. & E. FEIN GmbH, Telefon 07173 183-0, www.fein.com

Asia: FEIN Power Tools Asia Limited, A1, Phone 2341-1026, www.fein.hk

AU: FEIN Power Tools Pty. Ltd., Phone 1300 798 688, www.fein.com.au

IN: FEIN Power Tools India Pvt. Ltd., Phone 044-43 578 680, www.fein.in

UK: FEIN Industrial Power Tools UK Ltd., Phone 01327 308730, www.fein-uk.co.uk