

► AUTOMOTIVE

FEIN. Unverwüstliche
Elektrowerkzeuge.



Efficiently removing glass at speed.

FEIN SUPERCUT – the perfect solution for all windscreens.



NEW!
FEIN SUPERCUT

FEIN SUPERCUT. Outstanding performance and quality – not just when removing glass.

The FEIN SUPERCUT is the only oscillating power tool whose performance is consistently designed for heavy-duty sawing and cutting work – ideal not just for removing glass but also numerous other automotive applications (see next few pages). You can make the most of the FEIN SUPERCUT benefits with a cordless tool that delivers the same performance. Lithium-ion technology

means the FEIN batteries have no memory effects. Thanks to the two batteries supplied and state-of-the-art battery and charging technology, continuous operation is guaranteed, even under very tough continuous loads. No matter whether you're working with a battery- or mains-powered tool, the SUPERCUT is the most flexible and powerful oscillator with durable professional quality.

Quick clamping system

Patented QuickIN clamping system for convenient and fast tool changes without a wrench.

Metal gearbox housing

Robust metal gear box housing for long service life even in tough working conditions.

Oscillation

2 x 1.7 ° amplitude for maximum work progress.

Speed control

Electronic speed control with tachogenerator for high speed consistency when loaded.



Tool mounting

Force-fit hexagonal tool mounting for optimum torque transfer.

The benefits:

- ▶ The only oscillating power tool for heavy-duty sawing and cutting.
- ▶ Solid metal/precision cast parts.
- ▶ Battery- and mains-powered tools enable practically the same work progress.
- ▶ Works without interruptions even when permanently loaded.

Extra flat transmission head

The mains-powered FEIN SUPERCUT is also available without the QuickIN quick clamping system. Thanks to the flatter transmission head, you can even work in hard-to-reach places.

**Li-ion battery**

18 V Li-ion battery for power that lasts.

Cable

5 m industrial-quality cable for large working radius.

High-power motor

Powerful and highly robust FEIN high-power motor for extraordinary performance.

Ergonomics

Sits perfectly in your hand thanks to ergonomic shape. For virtually fatigue-free working.

FEIN anti-vibration system

Elastic damping elements decouple the housing from the motor and ensure a considerable reduction in vibrations and noise.


Tailored for professionals: the FEIN professional set for vehicle glazing.

Fast, reliable and cost-effective. The FEIN SUPERCUT allows windows to be removed from outside by just one person – and the job usually only takes a couple of minutes. There's no laborious manual work, little effort required and you save huge amounts of time and money. The powerful FEIN professional sets are tailored perfectly to the various jobs undertaken in vehicle glazing, automotive workshops and cargo vehicles. They are an indispensable item of equipment for all professional users.

The benefits:

- ▶ Independent use with powerful Li-ion batteries.
- ▶ Even working alone, users can cut out bonded windows from outside.
- ▶ Car windscreens are usually removed in under two minutes.
- ▶ The long service lives of the original FEIN cutter blades.
- ▶ Suited to almost all vehicle types.

Cutting out windows



Encapsulated windscreens and moulded frames, also with aluminium reinforcement, can be cut out with the L-blade in a single step. **Recommended speed: level 3–4.**

Removing glass from under the bonnet



The reinforced U-blade is used to remove glass from under the bonnet. **Recommended speed: level 3–4.**

Removing glass from the windscreen from the inside



The blade, with form 143, features an adjustable stop roller. This allows windows to be removed quickly and easily from the inside. **Recommended speed: max. level 3.**

Removing glass from a side window/rear windscreen



Glass can be removed from encapsulated side windows and rear windscreens from the inside using the L-blades, available in three different lengths up to 38 mm.

Sharpening blades



Included in the accessories: the whetstone for a high-speed and optimum cut in the long term. **Recommended speed: level 1–2.**

Removing glass from a windscreen



It makes an extremely fast cut! The L-blade, form 207, has a 40% higher cutting performance compared with a U-blade when used at the same speed setting. This is a major benefit when removing glass from windscreens from outside the vehicle. **Recommended speed: level 3–4.**

Universal approach to glass removal and bodywork: the FEIN professional set for automotive workshops.

Repairing bodywork is one of the most frequent tasks undertaken in automotive workshops. The versatile FEIN professional set for automotive workshops contains everything professionals need. For removing windows, cutting through plastic, sawing metal, grinding, removing rust, preparing for welding and many other applications. Ideal as a starter or supplementary set for removing glass – indispensable when it comes to repairing bodywork.

The benefits:

- ▶ Factory-recommended by respected vehicle manufacturers.
- ▶ Avoid damage to glass and paintwork.
- ▶ Powerful bodywork saw which doesn't produce sparks.
- ▶ Easy removal of underseal or bodywork parts.
- ▶ Just one individual is needed to cut out bonded windows.
- ▶ Universal equipment for windows and bodywork applications.

Removing glass from a windscreen



The L-blade provides a 40% higher cutting performance compared with a U-blade when used at the same speed. Damage to the bodywork is virtually eliminated. **Recommended speed: level 3–4.**

Cutting out windows



Encapsulated windscreens and moulded frames, also with aluminium reinforcement, can be cut out with the L-blade in a single step. **Recommended speed: level 3–4.**

Removing glass from a side window/rear windscreen




Remove glass from the side and rear windows with ease and at speed with the cutter blade, form 143, and the adjustable stop roller. **Recommended speed: max. level 3.**

Removing residual adhesive



The scraper blade allows you to remove residual adhesive cleanly, at speed and with little effort. **Recommended speed: level 2–3.**

Removing underseal or carpet



The stopper knife allows you to remove underseal and stoneguard with ease and at speed. Parts needing repair can be easily exposed and e.g. tow couplings screwed directly to the framework. **Recommended speed: level 2–4.**

Removing glass from under the bonnet



Use the U-blades to remove glass from under the bonnet. **Recommended speed: level 3–5.**

Perfect for bigger challenges: the FEIN professional set for cargo.

Replacing windows is one of the most common applications undertaken on trucks, buses and trains. The bigger the window, the bigger the challenge. The FEIN professional set for cargo is the perfect tool for cargo applications and will cut out rigidly bonded windows from trucks, buses and rail vehicles much faster and more conveniently. There's a good reason why the FEIN professional set for cargo is recommended by most bus and truck manufacturers.

The benefits:

- ▶ Impressive performance for the extreme loads encountered in the cargo sector.
- ▶ Factory-recommended by respected vehicle manufacturers.
- ▶ Just one individual is needed to cut out bonded windows.
- ▶ Extensive range of FEIN accessories for many special applications.

Complicated access made easy



When it comes to hard-to-reach bonds, e.g. under sun visors or for permanently fitted display panels in buses, the reinforced blade, form 217, is ideal. **Recommended speed: level 4–5.**

Removing windows



Use the L-blades, form 207 and 209, for windows in buses and trucks with narrow gaps between the glass and frame. They allow you to cut through rigidly assembled strips with ease and at speed. **Recommended speed: level 4–5.**

Cutting out large windows




Even very large windows can be cut out with ease from the inside with the cutter blade, form 081. **Recommended speed: level 3–5.**

Removing residual adhesive



The scraper blade allows you to remove residual adhesive cleanly, with ease and at speed – even in hard-to-reach places.

Removing cover panels



Bonded cover strips can be removed cleanly, reliably and at speed with the straight blades, form 081 and 216, enabling the strips to be reused in most cases. **Recommended speed: level 3–5.**

Separating cuts in side windows



The curved cutter blade, form 072, is excellently suited to making separating cuts in side windows from inside. **Recommended speed: level 3–4.**

More options, more results: the FEIN SUPERCUT accessories.

The accessories for the FEIN SUPERCUT were developed especially for all typical applications in vehicle glazing, automotive workshops and cargo vehicles and are being optimised all the time. FEIN works closely with professional users to offer them the performance, reliability, ease of use and durability they need in their everyday work.

The benefits:

- ▶ Applications which are only possible with the FEIN SUPERCUT, such as sawing.
- ▶ Easier working in complex applications.
- ▶ Versatile professional set variants and accessories.
- ▶ Accessories which are compatible with all FEIN SUPERCUT models.

Removing insulation glass



The mushroom-shaped cutter blade cuts out insulation windows from buses and trains with ease and at speed. Adhesive residue on the glass can therefore also be removed with ease.

Removing glass from VAG windows



In some VAG models, the rear and side windows are fitted with moulded frames. FEIN provides you with the perfect solution for removing the windows in the VW Passat variant models up to 2004, from the VW Polo to the 01, Lupo, Seat and VW Golf III, without causing any damage.

Cutting fibreglass material



The wide or narrow M-Cut HSS saw blades allow you to make cut-outs in fibreglass and other plastic composites with precision.

Reworking cut-outs



The carbide-tipped file is optimally suited to reworking cut-outs in hard-to-reach places: it makes light work of plastics, composite material and wood.

Stage-bonded windows



Stage-bonded or U-profile bonded windows can even be cut out at the edges with the cutter blade, form 177, with an angle cutter of 8 mm. Best suited to bus and train windows.

Special accessories







The new range of accessories is also suited to other tasks. The mushroom blade can be used to remove with ease e.g. the light and wiper sensors, which are a common feature in modern vehicles.




Recommended speed:
level 2-3.

Super clear: All SUPERCUT tools and sets at a glance.

Technical data

Model		FSC 1.7	FSC 1.7 Q	AFSC 1.7 Q	AFSC 1.7 QC
					
		The powerful system for removing glass from car, truck, bus and rail windows.	The powerful system with QuickIN for removing glass from car, truck, bus and rail windows.	The powerful cordless system with QuickIN for removing glass from car, truck, bus and rail windows.	The powerful system with QuickIN and compact battery for removing glass from car windows.
Power consumption	W	450	450	–	–
Power output	W	250	250	–	–
Battery voltage	V	–	–	18	18
Battery capacity	Ah	–	–	5	2.5
Oscillations	rpm	10 000 - 19 500	10000 - 19500	10 000 - 19 500	10 000 - 19 500
Amplitude	Degrees	3.4	3.4	3.4	3.4
Cable with plug	m	5	5	–	–
Weight	kg	1.45	1.65	1.8	1.6
Gearbox head height	mm	55	80	80	80
Tool change		5 mm Socket head wrench	QuickIN	QuickIN	QuickIN
Order number		7 229 49 61	7 229 48 61	7 129 18 63	7 129 18 62
Set includes		FEIN SUPERCUT FSC 1.7 in plastic tool case; 1 whetstone; 1 key	FEIN SUPERCUT FSC 1.7 Q in plastic tool case; 1 whetstone; 1 protective cover	FEIN SUPERCUT AFSC 1.7 Q in plastic tool case, 2 batteries, 1 quick charger, 1 whetstone, 1 protective cover	FEIN SUPERCUT AFSC 1.7 QC in plastic tool case, 2 batteries, 1 quick charger, 1 whetstone, 1 protective cover

Professional sets

Model	AFSC 1.7 Q	FSC 1.7 Q	FSC 1.7 Q
			
	Cordless professional set for vehicle glazing	Professional set for vehicle glazing	Professional set for bus & truck
Order number	7 129 18 61	7 229 48 62	7 229 48 63
Set includes	1 cordless FEIN SUPERCUT AFSC 1.7 Q in plastic tool case, 3 L-shaped cutter blades, toothed (form 207); 2 L-shaped cutter blades, toothed (form 208); 1 L-shaped cutter blade, toothed (form 209), 2 U-shaped cutter blades, reinforced version (1 × form 157 and 1 × form 111), 2 U-shaped cutter blades, reinforced version, toothed (form 212), 1 straight cutter blade, Z-bend with adjustable stop roller (form 143), 1 straight cutter blade, Z-bend, toothed (form 081), 1 protective cover for tool changes, 2 batteries, 1 quick charger	1 FEIN SUPERCUT FSC 1.7 Q in plastic tool case, 3 L-shaped cutter blades, toothed (form 207); 2 L-shaped cutter blades, toothed (form 208); 1 L-shaped cutter blade, toothed (form 209), 2 U-shaped cutter blades, reinforced version (1 × form 157 and 1 × form 111), 2 U-shaped cutter blades, reinforced version, toothed (form 212), 1 straight cutter blade, Z-bend with adjustable stop roller (form 143), 1 straight cutter blade, Z-bend, toothed (form 081), 1 protective cover for tool changes, 1 whetstone	1 FEIN SUPERCUT FSC 1.7 Q in plastic tool case, 2 straight cutter blades, toothed (form 073), 2 straight cutter blades, Z-bend, toothed (form 081), 1 hook-shaped blade, toothed (form 217), 1 curved cutter blade, Z-bend, toothed (form 072), 3 L-shaped cutter blades, toothed (2 × form 207), (1 × form 209), 1 U-shaped cutter blade, toothed (form 212), 1 scraper blade, shovel-shaped, with scrape protection coating (form 105), 1 traction cable with fastening, 1 whetstone, 1 protective cover for tool changes

More options, more results: the FEIN SUPERCUT accessories.

Only FEIN genuine accessories allow you to optimally exploit the versatility and capacity of FEIN oscillating tools.

Vehicle glazing accessories

Cutter blade, U-shaped

Ideal for removing glass from under the bonnet. Short side, pack of 2.



Cut length mm	Order number
10	6 39 03 083 01 0
16	6 39 03 095 01 1
16	6 39 03 108 01 4
18	6 39 03 087 01 9
19.5	6 39 03 118 01 3
22	6 39 03 115 01 8
24	6 39 03 076 01 6
28	6 39 03 163 01 1
32	6 39 03 147 01 2
36	6 39 03 079 01 2
40	6 39 03 110 01 0
60	6 39 03 101 01 0
70	6 39 03 155 01 4

Long side, pack of 2.



Cut length mm	Order number
18	6 39 03 127 01 4
32	6 39 03 114 01 4
32	6 39 03 191 01 1
45	6 39 03 154 01 0
52	6 39 03 153 01 2
60	6 39 03 107 01 6

Reinforced version, pack of 2.



Cut length mm	Order number
60	6 39 03 157 01 1
95	6 39 03 111 01 9

Reinforced version, toothed, pack of 2.



Cut length mm	Order number
19	6 39 03 210 01 6
25,5	6 39 03 211 01 5
38	6 39 03 212 01 8

Cutter blade, L-shaped

Toothed, pack of 2.



Cut length mm	Order number
19	6 39 03 208 01 0
25.4	6 39 03 207 01 2
38	6 39 03 209 01 4

Cutter blade, straight

Pack of 2.



Cut length mm	Total length mm	Order number
26	56	6 39 03 121 01 8
40	90	6 39 03 176 01 5
35	145	6 39 03 194 01 6

Z-bend, pack of 2.



Cut length mm	Total length mm	Order number
19	68	6 39 03 122 01 1
18	84	6 39 03 181 01 2
23	65	6 39 03 173 01 0
25	65	6 39 03 124 01 3
27	85	6 39 03 174 01 8
32	110	6 39 03 123 01 5
70	120	6 39 03 171 01 3

Bent, pack of 2.



Cut length mm	Total length mm	Order number
14/90°	65	6 39 03 120 01 9
16/90°	75	6 39 03 104 01 5
20/50°	75	6 39 03 103 01 7
20/75°	75	6 39 03 109 01 8
10/75°	75	6 39 03 164 01 9
25/50°	75	6 39 03 172 01 6

Bent, Z-bend, pack of 2.



Cut length mm	Total length mm	Order number
45	120	6 39 03 168 01 8
70	120	6 39 03 125 01 7

Z-bend, with rigid depth stop, pack of 2.



Cut length mm	Total length mm	Order number
16	120	6 39 03 099 01 0
58	125	6 39 03 097 01 8

Z-bend, with adjustable depth stop, pack of 2.



Cut length mm	Total length mm	Order number
16-43	100	6 39 03 143 01 3
18-39	100	6 39 03 170 01 4
20-35	100	6 39 03 198 01 5
60-76	120	6 39 03 169 01 2

Flat, with adjustable depth stop, pack of 2.



Cut length mm	Total length mm	Order number
42-60	145	6 39 03 182 01 5

Z-bend, bent, with rigid depth stop, pack of 2.



Cut length mm	Total length mm	Order number
54	120	6 39 03 160 01 5

Cutter blade, curved

Z-bend, with rigid depth stop, pack of 2.



Cut length mm	Total length mm	Order number
14	80	6 39 03 082 01 6
16	80	6 39 03 133 01 4
39	85	6 39 03 152 01 8

Z-bend, with adjustable depth stop, pack of 2.



Cut length mm	Total length mm	Order number
32-46	110	6 39 03 195 01 0

Automotive workshop accessories

Cutter blade, straight

Bent, Z-bend, as additional purchase for cut-out fixture 9 06 07 001 01 6, pack of 2.



Order number	Order number
6 39 03 197 01 7	

Depth stop

Depth stop for HSS and E-Cut saw blades.



Order number	Order number
3 21 27 069 01 0	

Saw blades

HSS, with fine teeth for precise cutting. Universal suitability for sheet metal of up to approx. 1 mm, also doubled, and plastics.



Ø mm	Order number
63	6 35 02 102 01 6
80	6 35 02 103 01 0

HSS, stepped, countersunk clamping screw for flush working, pack of 1.



Ø mm	Order number
85	6 35 02 177 01 0
100	6 35 02 178 01 0

HSS, stepped and segmented for flush working into the corners, pack of 1



Ø mm	Order number
100	6 35 02 196 01 0

SUPERCUT ACCESSORIES

Carbide file, narrow

For deburring and filing in fibreglass, CFRP, plastics and wood.



Width mm	Qty.	Order number
12	2	6 37 06 018 01 0

Stopper knives

For removing coverings and coatings, such as underseal, adhesive residue etc., pack of 2.



Order number	6 39 03 227 01 0
--------------	------------------

E-Cut Universal saw blades

With bimetal teeth, stepped, precise cut-outs in sheet metal, plastics and all wood types for special installations such as navigation devices, screens, DVD players, amplifiers and speakers. length 60 mm.



Width mm	Qty.	Order number
28	1	6 35 02 147 01 5
44	1	6 35 02 148 01 3
28	5	6 35 02 147 02 1
44	5	6 35 02 148 02 9

Cutting paste

Lubricant for working with sheet metal materials.



Order number	3 21 32 020 12 9
--------------	------------------

Cutter blade, straight

Suited to round cut-outs in plastics. Toothed, pack of 2.



Cut length mm	Total length mm	Order number
35	56	6 39 03 073 01 1

Suitable for removal of chassis attachment parts.

Z-bend, toothed, pack of 2.



Cut length mm	Total length mm	Order number
60	120	6 39 03 081 01 3

Adapter for FEIN SUPERCUT without QuickIN

Required to fit accessory parts with Starlock, StarlockPlus or StarlockMax fitting.



Order number	3 52 22 952 04 0
--------------	------------------

Adapter for FEIN SUPERCUT with QuickIN

Required to fit accessory parts with Starlock, StarlockPlus or StarlockMax fitting.



Order number	3 52 22 952 05 0
--------------	------------------

Sanding pad

Standard version. Plastic carrier plate prevents damage and marks on the workpiece. Triangular shape, hook and loop fastening, pack of 2.



Order number	6 38 06 129 22 0
--------------	------------------

Sanding sheet set

Consisting of: sanding sheets, 10 of each, non-perforated, with hook and loop fastening, grit 60, 80, 120, 180, 240.



Order number	6 37 17 082 03 3
--------------	------------------

FEIN offers an extensive range of sandpaper. For detailed information, please consult your FEIN specialist dealer.

Cutter blade, mushroom-shaped

For cutting silicone and soft putty material and for separating insulation glass units, pack of 5.



Order number	6 39 03 128 01 2
--------------	------------------

Cargo accessories

Cutter blade, straight

Toothed, pack of 2.



Cut length mm	Total length mm	Order number
35	56	6 39 03 073 01 1

Z-bend, pack of 2.



Cut length mm	Total length mm	Order number
60	120	6 39 03 216 01 7

Z-bend, toothed, pack of 2.



Cut length mm	Total length mm	Order number
60	120	6 39 03 081 01 3

Angle cutter, pack of 2.



Cut length mm	Total length mm	Order number
65/8	85	6 39 03 177 01 9
38/20	45	6 39 03 203 01 3

Cutter blade, curved

Z-bend, pack of 2.



Cut length mm	Total length mm	Order number
45	80	6 39 03 072 01 7

Cutter blade, L-shaped

Toothed, pack of 2.



Cut length mm	Order number
25.4	6 39 03 207 01 2
38	6 39 03 209 01 4

The blades are supplied as a pack of 2.

European Patent No 0 141 035 and 0 147 427. Japan Utility Model No 1756 638 and 1817 594. USA Patent No 4,543,720 and 4,700,478.

Cutter blade, U-shaped

With elongated bar, pack of 2.



Cut length mm	Order number
40	6 39 03 156 01 7

Hook-shaped

Toothed, pack of 2.



Cut length mm	Order number
38	6 39 03 217 01 1

Segment blade

Pack of 2.



Cut length mm	Total length mm	Order number
30	73	6 39 03 132 01 0

Traction cable

With handle. Recommended for use when making separating cuts from the outside with the L-shaped or hook-shaped cutter blade. Easier working with less effort when cutting out windows from buses and trucks and in problem areas on rail vehicles.



Order number	9 26 02 030 01 4
--------------	------------------

Work gloves

Vibration-absorbing, certified in accordance with EN 388/420, EN ISO 10819, EEC No. 0200, 1 pair.



Size	Order number
9 L	3 21 73 003 00 3
10 XL	3 21 73 004 00 1
11 XXL	3 21 73 005 00 5

Bail handle

For reducing vibrations and for better handling of the FEIN SUPERCUT during longer jobs.



Order number	3 21 19 116 01 1
--------------	------------------

Accessory sets

Automotive glazier set of accessories

Consisting of: 3 L-shaped cutter blades, toothed (form 207); 2 L-shaped cutter blades, toothed (form 208); 1 L-shaped cutter blade, toothed (form 209); 1 each of U-shaped cutter blade, reinforced version (form 157 and 111); 2 U-shaped cutter blades, reinforced version, toothed (form 212); 1 straight cutter blade, Z-bend with adjustable stop roller (form 143); 1 straight cutter blade, Z-bend, toothed (form 081).



Order number	6 39 03 167 38 3
--------------	------------------

Accessory set for automotive workshops

Consisting of: 2 U-shaped cutter blades, short side (form 076); 2 U-shaped cutter blades, short side (1x form 079 and 1x form 101); 2 L-shaped cutter blades, toothed (form 207); 1 L-shaped cutter blade, toothed (form 208); 1 U-shaped cutter blade, reinforced (form 157); 1 straight cutter blade, Z-bend, with adjustable stop roller (form 143); 1 shovel-shaped scraper blade, with scrape protection coating (form 129); 1 stopper knife; 1 HSS saw blade (Ø 80 mm).



Order number	6 39 03 167 25 7
--------------	------------------

Accessory set for cargo

Consisting of: 2 straight cutter blades, toothed (form 073); 2 straight cutter blades, Z-bend, toothed (form 081); 1 hook-shaped blade, toothed (form 217); 1 curved cutter blade, Z-bend, toothed (form 072); 3 L-shaped cutter blades, toothed (2x form 207 and 1x form 209); 1 U-shaped cutter blade, toothed (form 212); 1 scraper blade, shovel-shaped, with scrape protection coating (form 105); 1 traction cable with fastening.



Order number	6 39 03 167 32 0
--------------	------------------

Accessories for removing residual adhesive

Scraper blade

Shovel-shaped, with scrape protection coating, pack of 2.



Cut length mm	Total length mm	Order number
12	64	6 39 03 129 05 0
18	65	6 39 03 146 01 8
25	64	6 39 03 105 01 9

With cross cut and scrape protection coating on the face end stop, pack of 2.



Cut width mm	Order number
13	6 39 03 113 01 6
25	6 39 03 131 01 7

With cross cut, pack of 2.



Cut width mm	Order number
13	6 39 03 144 01 1

Scraper blade set

Consisting of: 1 of each scraper blade, shovel-shaped, with scrape protection coating (form 129/105).



Order number	6 39 03 129 01 6
--------------	------------------

Consisting of: 1 each of scraper blade with cross cut and scrape protection coating on the face end stop (form 113/131).



Order number	6 39 03 113 02 2
--------------	------------------

Accessories for AFSC 1.7 Q/QC

Battery

Li-ion 18 V, 5 Ah with charge monitoring display.



Order number	9 26 04 173 02 0
--------------	------------------

Battery

Li-ion 18 V, 2.5 Ah with charge monitoring display.



Order number	9 26 04 171 02 0
--------------	------------------

Rapid charger ALG 30

For FEIN Li-ion batteries. Charge time from 25 min.



Order number	9 26 04 096 01 0
--------------	------------------

Accessori generici

Carter di protezione cambio utensile

Per la sostituzione sicura degli utensili sul SuperCut con QuickIN aprendo e chiudendo la leva di serraggio.



Order number	3 21 74 011 00 0
--------------	------------------

Pietra di affilatura

Per affilare i coltelli prima dell'uso al fine di ottenere un taglio ottimale.



Order number	6 37 19 010 01 4
--------------	------------------

**FEIN. Unverwüstliche
Elektrowerkzeuge.**



FEIN – the specialist for durable power tools.

FEIN is the specialist for professional and extremely reliable power tools and special application solutions in the metal, timber and composite materials sectors. As the inventor of the electric hand drill, FEIN has been developing innovative and unbeatably efficient solutions for everyday use which can also stand up to the toughest continuous use in industry and trade for over 150 years.



**Quick registration – extended warranty period:
The 3-year FEIN PLUS warranty.**

We offer the 3-year FEIN PLUS warranty for all your FEIN power tools. All you need to do is register your new FEIN product at www.fein.com/warranty within 6 weeks of purchase.

If you have any further questions, your specialist dealer will be happy to help.

DE: C. & E. Fein GmbH, Telefon 07173 183-0, www.fein.com
AE: FEIN Middle East FZE, Tel. 04 8861168, www.fein.ae
Asia: FEIN Power Tools Asia Limited, A1, Phone 2341-1026, www.fein.asia
AU: FEIN Australia, Phone 03 87959291, www.fein.com.au
EE/LT/LV: Ota-Tuote Oy, Phone 00358 9 5499 2400, www.otatuote.com
IN: FEIN Power Tools India Pvt. Ltd., Phone 044-43 578 680, www.fein.in
SA: Mimar for Construction Tools & Trading Ltd., Phone 02 6686888, www.fein.ae
UK: FEIN Industrial Power Tools UK Ltd., Phone 01327 308730, www.fein-uk.co.uk

